

UniMAP

**Characterization of immunosensor for early detection of
cucumber mosaic virus (CMV) detection in chili**

By

Shahrul Aizzam Ariffin

(1331710878)

A thesis submitted in fulfillment of the requirements for the degree of
Master of Science in Nanoelectronic Engineering

**Institute of Nano Electronic Engineering
UNIVERSITI MALAYSIA PERLIS**

2017

DECLARATION OF THESIS

UNIVERSITI MALAYSIA PERLIS

DECLARATION OF THESIS

Author's full name : SHAHRUL AIZZAM BIN ARIFFIN
Date of birth : 5 DECEMBER 1985
Title : CHARACTERIZATION OF IMMUNOSENSOR FOR EARLY
DETECTION OF CUCUMBER MOSAIC VIRUS (CMV)
IN CHILI
Academic Session : 2013-2016

I hereby declare that the thesis becomes the property of Universiti Malaysia Perlis (UniMAP) and to be placed at the library of UniMAP. This thesis is classified as :

- CONFIDENTIAL** (Contains confidential information under the Official Secret Act 1972)*
- RESTRICTED** (Contains restricted information as specified by the organization where research was done)*
- OPEN ACCESS** I agree that my thesis is to be made immediately available as hard copy or on-line open access (full text)

I, the author, give permission to the UniMAP to reproduce this thesis in whole or in part for the purpose of research or academic exchange only (except during a period of _____ years, if so requested above).

Certified by:

SIGNATURE

851205-08-6123
(NEW IC NO. / PASSPORT NO.)

Date : AUGUST 2017

SIGNATURE OF SUPERVISOR

PROF. DR. UDA BIN HASHIM
NAME OF SUPERVISOR

Date : AUGUST 2017

NOTES : * If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization with period and reasons for confidentiality or restriction.

ACKNOWLEDGEMENT

I would like to acknowledge my supervisor, Prof. Dr. Uda Hashim, sincerely, for his excellent support, guidance and encouragement throughout my research work. Without his mentoring, leadership and cooperation, I would have never succeeded.

I would like to express my sincerest thanks to my Field Supervisor, Dr. Faridah Salam for a sharp and insight observation in my research from her. Her opinion, knowledge, advice and support have been of great value to me. Once again thanks upon her cooperation and allowing me to use her lab and equipment at Malaysia Agriculture Research Development Institute (MARDI).

Special thanks to all my colleagues at the laboratory, Rafidah Abdul Rahman, Nur Hazalina Zulkifli and Nur Sabrina Abd Wahab who are all great people and scientists. They make me able to be a productive and informative person as they built up a learning situation and a fun environment while I being there.

At last, I am grateful to my wife, daughter, parents and family members. Without their encouragement, support, love and sacrifice for me, I would never able to achieve my noble goal.

TABLE OF CONTENTS

	PAGE
DECLARATION OF THESIS	i
ACKNOWLEDGEMENT	ii
TABLE OF CONTENTS	iii
LIST OF FIGURES	viii
LIST OF TABLES	xii
LIST OF EQUATIONS	xiii
LIST OF ABBREVIATIONS	xiv
LIST OF SYMBOLS	xvi
ABSTRAK	xvii
ABSTRACT	xviii
CHAPTER 1: INTRODUCTION	1
1.1 Background	1
1.2 Problem Statement	2
1.3 Research Objectives	4
1.3.1 General Research Objective	4
1.3.2 Specific Research Objective	5
1.4 Research Scopes	5
1.5 Significant Contribution	8
1.6 Thesis Organization	8
CHAPTER 2: LITERATURE REVIEW	10
2.1 Introduction	10
2.2 Cucumber Mosaic Virus	10

2.2.1	The Origin and Transmission Strategy	10
2.2.2	Symptoms and Effects on Infected Plants	12
2.3	Electrochemical Immunosensor as a Biosensor Transducer	14
2.3.1	Concept of Immunoassay Technique on Immunosensor	17
2.3.2	Screen-Printed Carbon Electrode as Electrical Transducer	20
2.3.3	Amperometric Immunosensor Technique	21
2.4	Antibody as Biorecognition in Immunosensor	23
2.4.1	Immobilization of Antibody	25
2.4.2	The Important of Cross-Reactivity for Antibody	32
2.5	Biorecognition Coating	33
2.5.1	Nanomaterial Applications in Immunosensor Field.	33
2.5.2	Role of Polypyrrole Polymer in Surface Modification	35
CHAPTER 3: METHODOLOGY		38
3.1	Introduction	38
3.2	Research Overview	39
3.3	Chemicals and Biochemical Reagents	40
3.4	Preparation of Reagents and Biochemicals	41
3.4.1	Preparation of Buffer A	41
3.4.2	Preparation of Buffer B	42
3.4.3	Preparation of Buffer C	42
3.4.4	Preparation of Cushion 1	42
3.4.5	Preparation of Cushion 2	43
3.4.6	Preparation of Phosphate Buffer Solution	44
3.4.7	Preparation of Phosphate Buffer Saline	44

3.4.8	Preparation of Phosphate Buffered Saline Tween	45
3.4.9	Preparation of Pyrrole Solution	45
3.4.10	Preparation of Tris-Hydrochloride Acid	45
3.5	Characterization of Cucumber Mosaic Virus	46
3.5.1	Seeding and Inoculation	46
3.5.2	Cucumber Mosaic Virus Purification	47
3.5.3	Determination of the Cucumber Mosaic Virus Concentration	49
3.5.4	Virus Titer Determination	50
3.6	Purification and Conjugation of Immunoglobulin G Antibody for Cucumber Mosaic Virus	50
3.6.1	Rabbit's Immunization Procedure	50
3.6.2	Antibody Purification Procedure	53
3.6.3	Chromatography of Immunoglobulin G in Protein G Column	54
3.6.4	Purified Immunoglobulin G Antibody Concentration in Protein Assay	55
3.6.5	Determination of Antibody Sensitivity towards Positive and Negative Samples	55
3.6.6	Preparation of Activated Horseradish Peroxidase to Polyclonal Antibody Conjugation Using Sodium Periodate Method	56
3.6.7	Characterization of Immunoglobulin G-Horseradish Peroxide	57
3.6.7.1	Sandwich ELISA Method	57
3.6.7.2	Direct ELISA Method	59
3.7	Cucumber Mosaic Virus Detection Using Screen-Printed Carbon Electrode	60
3.7.1	The Fabrication of Screen-Printed Carbon Electrode	60
3.7.2	Development of Electrochemical System	61
3.7.3	Preparation of Conjugated Gold Nanoparticle with Antibody	62

3.7.4	Immobilization of Conjugated Gold Nanoparticle with Antibody in Polypyrrole	63
3.7.5	Cucumber Mosaic Virus Binding Using Sandwich ELISA Method on SPCE	64
3.7.6	Immunosensor Measurement Using Chronoamperometric Analysis	64
3.8	Validation of Cucumber Mosaic Virus Biosensor	65
3.8.1	Selectivity Study for Anti-CMV Validation	65
3.8.2	Preparation of Real Sample for Biosensor Analysis	65
3.8.3	Procedure Using Real Sample for Immunosensor Analysis	66
3.8.4	Recovery Study of Cucumber Mosaic Virus in Cucumber Plant	67
3.9	Immunosensor Structure Morphology Study	68
CHAPTER 4: RESULTS AND DISCUSSION		69
4.1	Introduction	69
4.2	Symptomatology of Artificial Mechanically Infected Plant	69
4.3	Cucumber Mosaic Virus Purification	70
4.3.1	Morphological of Cucumber Mosaic Virus Structure	71
4.3.2	Determination of Cucumber Mosaic Virus Concentration	72
4.4	Rabbit Immunization and CMV Antibody Purification	73
4.4.1	The Optimization of the Polyclonal Antibody Activity	76
4.4.2	Quantification of Immunoglobulin G Antibody in Protein Assay	77
4.4.3	Immunoglobulin G-Horseradish Peroxidase Conjugation	79
4.4.4	Sensitivity Performance of CMV Antibodies	82
4.5	Cucumber Mosaic Virus Detection Using Immunosensor in Chronoamperometric	84

4.5.1	The Potential Voltage Determination using Chronoamperometric Analysis on the SPCE as the Sensor Platform.	84
4.5.2	Standard Calibration Curve for Immunosensor Development Using SPCE	85
4.5.3	The Immunosensor Selectivity Validation	89
4.6	Cucumber Mosaic Virus Detection in Real Samples Using Immunosensor	91
CHAPTER 5: CONCLUSION AND FUTURE WORK		96
5.1	Conclusion	96
5.2	Suggestion for Future Work	98
	REFERENCES	100
	APPENDIX A	109
	APPENDIX B	116
	APPENDIX C	118

LIST OF FIGURES

NO	PAGE
Figure 1.1: Malaysia's chili production and demand from 2007 until 2013.	2
Figure 2.1: Electron micrograph of CMVpartilces subgroup I found by Arneodo's team in their research. Bar: 100 nm.	12
Figure 2.2: Symptoms of Cucumber Mosaic Virus at the leaves and fruit; (a) Mosaic pattern of the sample captured by a researcher from the University of Illinois which has the same pattern with (b) mosaic pattern captured by a researcher from MARDI and (c) CMV-infected to the fruit from cucumber plants.	13
Figure 2.3: Concept of an immunosensor: (A) A bioreceptor unit with immobilization of antibodies on the ligand and provide a signal during measurement, (B) a sensor transducer unit in which transforms the electrochemical response from bioreceptor unit into an electrical signal, and (C) an electronic par such as electrochemical (amperometric, potentiometric, conductometric), optical or piezoelectric which is involved in data analyzer, including (D) the display unit.	14
Figure 2.4: Three different type of immunoassay concepts used in immunosensor and the response signals gain; (A) Direct; (B) Sandwich; (C) Competitive.	19
Figure 2.5: Single type screen printed electrode developed by Nano Agriculture Research Team (BT02) from Malaysia Agriculture Research and Development Institute (MARDI).	22
Figure 2.6: The fundamental of polyclonal and monoclonal antibodies production. The common method for produce a polyclonal antibody that reacts to a specific pathogen or antigen contains a composite of antibodies that are specific to the four epitopes, whereas the monoclonal antibody production is obtained from the specific one epitope that reacts with an antigen.	24
Figure 2.7: The IgG antibody structure consists of four polypeptide chains - two gammas, γ heavy chains which used as a connector to the sensor surface in immunosensor and two kappas, κ or two lambdas, λ light chains connected by disulfide bonds is used to capturing the pathogen.	25
Figure 2.8: Preparation of self-assembled monolayer (SAMs) on the metal surface.	28

Figure 2.9: Illustration of cross-reactivity occurs when the antibody reacting with same and other antigens. Epitope-paratope is indicated by the black arrow as a binding surface.	33
Figure 2.10: Chemical reaction for polymerization of polypyrrole on transducer surface by using the amperometric technique at a constant set potential, V.	36
Figure 3.1: Research Overview in Cucumber Mosaic Virus Detection On Immunosensor	39
Figure 3.2: Artificial CMV inoculation on healthy cucumber first leaves	46
Figure 3.3: CMV purification process flow.	47
Figure 3.4: Pellet was resuspended in Buffer C before been stored at 4 °C.	49
Figure 3.5: Immunization injection (CMV with Freund's adjuvant) on New Zealand White breed rabbit.	51
Figure 3.6: IgG purification process flow	53
Figure 3.7: Antibody serum collection process after being immunized for some certain period.	54
Figure 3.8: Process flow for Sandwich ELISA used in the characterization of IgG-HRP.	57
Figure 3.9: Process flow for Direct ELISA used in the characterization of IgG-HRP.	59
Figure 3.10: The immunosensor (SPCE) interface: (a) The actual immunosensor (SPCE) used in CMV detection, (b) the 3D model for SPCE including electrode labelled and (c) the SPCE specifications (all the measurement in millimeter, mm).	61
Figure 3.11: Gold nanoparticle-antibody conjugate after the conjugated process and giving dark red cherry colour.	63
Figure 3.12: An illustration on the electrode surface which crude CMV is a virus that contains in the chili leaf.	66
Figure 3.13: Sample measurement using Portable Dropsens sensor reader.	68
Figure 4.1: The yellowish mosaic pattern shows on the infected cucumber leaf surface in insect proof glass house two weeks after artificial infect.	70

Figure 4.2: The shape of purified CMV cluster after analyzing under Transmission Electron Microscopy (TEM) (a) morphology of purified CMV (black dot particles). Bar represents 200 nm. (b) morphology of purified CMV (black dot particles). Bar represents 100 nm.	71
Figure 4.3: The absorption spectra of purified CMV after converting data from the UV-1601 UV-visible spectrophotometer.	72
Figure 4.4: IgG Antibody obtained from Protein G affinity chromatographic using AKTA Purifier Systems for CMV	75
Figure 4.5: Anti-Cucumber Mosaic Virus antibody titration determination using indirect ELISA method.	77
Figure 4.6: Standard Curve for IgG antibody concentration determination. Plotted standard curve consist with error bar= standard deviation, n=2	78
Figure 4.7: IgG-HRP Fraction determination graph using various of a method for comparison.	80
Figure 4.8: Chromatogram of IgG-HRP conjugates elution from ImmunePure protein A column using AKTA Protein Purifier System	81
Figure 4.9: The sensitivity performance limit of anti-CMV antibody using different samples matrix. All bar graph consist with error bar= standard deviation, n=2 and κ is a number of purified antibody dilution.	83
Figure 4.10: The signal-to-background (TMB-H ₂ O ₂ -HRP-to-TMB-H ₂ O ₂) ratios for step potential with Chronoamperometric measurement after 300 s on the SPCE for CMV disease.	85
Figure 4.11: Immobilization process on SPCE through the physical absorption method (a) Bare carbon electrode, (b) Polymerization method using PPy-Au-Ab-KCl.	87
Figure 4.12: The standard calibration curve plot for CMV using physical absorption technique on SPCE, CMV Current (I, μ A) gain versus CMV concentration. All standard plot curve consist with error bar= standard deviation, n=3	89
Figure 4.13: Cross-reactivity of CMV with others antigens. All bar graph consist with error bar= standard deviation, n=5.	91

Figure 4.14: Comparison bar graph between the AutoLAB equipment, Portable Dropsens sensor reader and Sandwich ELISA kit using various samples.

95

©This item is protected by original copyright

LIST OF TABLES

NO		PAGE
2.1	The advantages and disadvantages of each immobilization process.	30
3.1	Reagents and chemicals were used in development of immunosensor	40
3.2	Schedule of CMV immunization in rabbit system	52

©This item is protected by original copyright

LIST OF EQUATIONS

NO	PAGE
(3.1)	49
(3.2)	49

©This item is protected by original copyright

LIST OF ABBREVIATIONS

BCA	Bicinchoninic Acid
BSA	Bovine Serum Albumin
C ₄ H ₅ N	Pyrrole
CMV	Cucumber Mosaic Virus
DNA	Deoxyribonucleic Acid
ELISA	Enzyme-Linked Immunosorbent Assay
EDTA	Ethylenediaminetetraacetic Acid
EDTA.Na ₂ .2H ₂ O	Disodium Ethylenediaminetetraacetic Dehydrate
Fab	Fragment Antigen-Binding
Fac	Fragment Crystallizable
GNP-Ab	Gold Nanoparticle-Antibody
H ₃ BO ₃	Boric Acid
HRP	Horseradish Peroxidase
IgG	Immunoglobulin G
IgG-HRP	Immunoglobulin G-Horseradish Peroxide
KCl	Potassium Chloride
LOD	Limit of Detection
NaCl	Sodium Chloride
Na ₂ HPO ₄ .2H ₂ O	Disodium Hydrogen Phosphate Dehydrate
NaH ₂ PO ₄ .H ₂ O	Sodium Dihydrogen Phosphate monohydrate
NaOH	Sodium Hydroxide
OD	Optical Density
PBS	Phosphate Buffer Saline

PCR	Polymerase Chain Reaction
PPy	Polypryrole
SAM	Self-assemble monolayer
SEM	Scanning Electron Microscopy
SPR	Surface Plasmon Resonance
SPCE	Screen Printed Carbon Electrode
TEM	Transmission Electron Microscopy
TMB	3,3',5,5'-Tetramethylbenzidine
Tris-HCL	2-Amino-2-(hydroxymethyl)-1,3-Propanediol Hydrochloride
Anti-CMV	Antibody-Cucumber Mosaic Virus

©This item is protected by original copyright

LIST OF SYMBOLS

%	Percentages
nm	Nano meter
μL	Micro liter
mL	Milli liter
L	Liter
g	Gram
mg	Milligram
s	Second
min	Minutes
h	Hours
M	Molar
mM	Milli Molar
Mol	Molar mass
I	Current
V	Volt
rpm	Revolutions per minute
G	Gravitational force
$^{\circ}\text{C}$	Degree Celsius
t	Thickness

©This item is protected by original copyright

Pencirian Immunosensor untuk Pengesanan Awal Virus Mosaik Ketimun (CMV) pada Cili

ABSTRAK

Virus Timun Mozek (CMV) adalah seperti salah satu kekangan utama terhadap tanaman-tanaman cucurbit seperti timun, timun Jepun, labu, betik dan tembikai, sementara untuk tanaman-tanaman bukan cucurbit adalah seperti cili, tomato, bayam, kobis, saderi, kekacang, tembakau dan rumpai di dalam Selatan Asia dan Asia Tenggara. Berpandukan kajian yang lepas hampir 5-10 % kerugian tahunan penghasilan cili yang dicatatkan di dalam Asia yang berpunca dari CMV, di mana hampir RM 6.05 bilion kerugian tahunan yang dicatatkan di dalam penghasilan tanaman cili bagi seluruh dunia. Kerugian ini telah memberi impak yang besar terutamanya pada petani-petani jika tiada tindakan serius diambil. Kebanyakan petani menggunakan pendekatan pemerhatian secara visual untuk mengesan CMV pada tanaman-tanaman mereka walaupun pemerhatian secara visual ini susah untuk mengenalpasti gejala yang berpuca dari CMV memandangkan visual gejala bergantung kepada kepekatan virus itu sendiri dan kerana sebab itu, kaedah ini adalah tidak boleh dipercayai untuk membasmi virus ini dari awal. Oleh itu, sebuah immunosensor elektrokimia berdasarkan pengesanan virus timun mozek seperti elektrod karbon skrin tercetak dibangunkan dan ia boleh digunakan sama ada di dalam makmal dan bidang yang penting. Di samping itu, kajian mengenai penyakit CMV dan aktiviti antibodi ditunjukkan untuk membuat sensor secara aktif mengenali hanya molekul-molekul CMV dengan menggunakan antibodi yang ditentukan. Penulenan CMV digunakan untuk menghilangkan kekotoran dan kemudian, pengoptimuman CMV yang ditulenan dilakukan menggunakan format immunoassay sandwich. Penulenan antibodi ditunjukkan untuk menghilangkan garam dan protein lain dan antibodi yang telah ditulenan dioptimumkan menggunakan format immunoassay sandwich dan format immunoassay secara langsung. Keputusan awal untuk kedua-dua bahan yang ditulenan mempunyai kekuatan mengikat yang tinggi. Selepas itu, antibodi yang ditulenan telah konjugat dengan nanopartikel emas dan rumusan konjugat digunakan untuk pengubahsuaian permukaan immunosensor untuk mengubah sifat-sifat permukaan immunosensor. Isyarat elektrik yang dihasilkan dari proses pengesanan sensor diukur menggunakan teknik kronoamperometri (CM). Dengan menggunakan teknik yang sama, set voltan potensi dijumpai pada 0.2 V dan LOD immunosensor berada pada 0.1 mg mL⁻¹. Selepas itu, immunosensor telah diuji dengan patogen lain untuk mengesahkan selektif immunosensor. Kajian awal menunjukkan immunosensor mengenal pasti sepenuhnya CMV yang telah ditulenan dan tidak bertindak balas terhadap patogen lain di mana memberikan reaktiviti silang yang terendah. Dalam penyaringan CMV, kaedah silang-reaktif yang sama telah dilaksanakan dan daun cili mentah yang diambil di ladang-ladang MARDI digunakan untuk mengesan CMV di dalam pokok-pokok cili. Keputusan penyaringan CMV menunjukkan kehadiran CMV di dalam beberapa sampel. Oleh itu, kajian ini menyediakan alat pengesanan yang sensitif dan selektif kepada para petani yang membenarkan pengesanan awal ladang cili mereka.

Characterization of Immunosensor for Early Detection of Cucumber Mosaic Virus (CMV) in Chili

ABSTRACT

Cucumber Mosaic Virus (CMV) is one of the major constraints towards cucurbit crops such as cucumbers, zucchinis, pumpkins, papayas and watermelons production, while for non-cucurbit crops such as chilies, tomatoes, spinach, lettuces, celeries, beans, tobaccos and weeds production in South and Southeast Asia. Based on previous studies approximately 5-10 % annual losses of chili yield in Asia was caused by CMV, which accounts for nearly RM 6.05 billion annual loss in chili production worldwide. This loss has given a huge impact especially to the farmers if there are no serious actions taken. Most farmers are using common approach which is visual observation to detect the CMV on their crops despite the visual observation is difficult to identify a symptom caused by the CMV since the visual of symptom depends on the concentration of virus itself and because of that reason, this method is not reliable to eradicate this virus from scratch. Therefore, a portable electrochemical immunosensor based cucumber mosaic virus detection like screen-printed carbon electrode was developed and it can be employed whether in laboratory and field that is essential. In addition, study on the CMV disease and antibody activity was demonstrated to making sensor actively recognize only the CMV molecules by using specify antibody. The CMV purification is used to eliminate the impurities and then, optimization of the purified CMV was performed using sandwich immunoassay format. The purification of antibody was demonstrated to eliminate salt and other proteins and the purified antibody was optimized using sandwich immunoassay format and direct immunoassay format. The initial results showed the both purified substance possess high binding strength. Subsequently, a purified antibody was conjugated with gold nanoparticles and the conjugated solution was used for the immunosensor surface modification to change the immunosensor surface properties. The electrical signal produced from the sensor validation process was measured using chronoamperometric (CA) technique. By using the same technique, the set voltage potential was spotted at 0.2 V and the LOD of immunosensor was at 0.1 mg mL^{-1} . After that, the immunosensor was tested with other pathogens to verify the immunosensor selectivity. The initial study shows the immunosensor fully identifies the purified CMV and did not react to other purified pathogens whereby gives the lowest cross-reactivity. In the CMV screening the same cross-reactivity method was executed and the crude chili leaves that taken around MARDI plantation were used to detect CMV in the chili trees. The results of the CMV screening show the presence of CMV in some samples. Thus, this research provides a sensitive and selective detection tool to the farmers that allow an early detection on their chili plantations.

CHAPTER 1

INTRODUCTION

1.1 Background

The agricultural sector is considered a major contributor to economic development in several countries such as Japan, Netherland, America, Taiwan, Thailand, including Malaysia. However, major challenges still plaguing the agricultural sector in those countries such as the growing demand for safe food supply as well as the high quality, the threat of climate change, increasing the risk of plant disease and others need to be addressed more seriously by all those involved. In chili production, this agriculture has an economic impact in local as well as export markets in Asia especially in South East Asia (SEA) and other parts of the world as well. More than one billion people consume chili in one or another form such as spices based on their daily basis consumption. The cucumber mosaic virus (*Bromoviridae* family, *Cucumovirus* genus) has a bigger host plants in the agriculture world because it can infect more than thousand plants species in 85 families. The outbreak of CMV in Malaysia have been reported infecting crops such as chilies, tomatoes, cucumbers, tobaccos, and weeds. Due to its worldwide distribution and polyphagous vectors, CMV is one of the five most important viruses infecting chili species worldwide (Rahman et al, 2013; Tan, 2012) and farmer may suffer crop losses from 10% to 15% and sometimes, may reach up to 60% if the plants are infected at early stage (Rahman et al., 2013). The vectors of infection may vary such as from aphids, agricultural machinery, equipment or

contaminated seeds. Due to all these factors, many researchers especially biotechnology research team from Malaysian Agriculture Research Development Institute (MARDI) starting to develop sensors to solve this kind of problem. There are many suitable sensors and one of them is an immunosensor when comes to biological, chemical pathogen, and contaminates. Immunosensors are compact analytical devices in which the event of binding of antigen-antibody complexes is detected and converted to an electrical signal, which can be recorded, processed, and displayed. Therefore, immunosensor is a good option to detect and sense a plant disease. Through this research, it can be justified that it has also contributed a great potential in the agriculture sectors (Gabor, 1966).

1.2 Problem Statement




Figure 1.1: Malaysia's chili production and demand from 2007 until 2013.

Chilies are one of the major ingredients used in daily cuisine in Malaysia and also well-known among local people in the Asia region. The increment of chili's demand and consumption had risen as shown in Figure 1.1 and the addition of chili farms to meet the demand are in full swing by the authorities. Therefore, for this reason,

the spread of infectious plant diseases such as cucumber mosaic virus outbreak becomes easy to damage the plants. The cucumber mosaic virus is a well-known common disease in plants since it infects almost every variety of crops (Hidaka, 1965; Price, 1934; Zitikaité et al, 2011) and it has an enormous destruction of chili plantations. The chili crops undergo malnutrition, become stunted and most infected crops may suffer from a low quality of production and in worst case scenarios, they are even in the verge of becoming dying crops. Meanwhile, the farmers are suffering from the low yield of chili production, low profit and this phenomenon has affected Asia as well.

The first cucumber mosaic virus symptom was discovered in 1934 (Price). One of major problems faced by farmers is late detection of virus infection because of limitation of technology. The control of the cucumber mosaic virus is still a challenge at this moment although many studies have been conducted by researchers or other authorities to prevent and eradicate cucumber mosaic virus outbreak in chili plantation. At that moment, only visual identification can be done. Hence, a monitoring system is essential to provide an early detection and to prevent a serious outbreak.

Before biosensor was invented, conventional methods such as ELISA, PCR and SPR remained as the most reliable technique for the detection of cucumber mosaic virus. However, there are several weaknesses of the conventional methods such as time-consuming process and lack of trained personnel handle the equipments. The conventional method particularly in the agriculture sectors are not very convenient because those weaknesses occurring during the virus screening generally require maximal technical expertise.

Recently, a plant disease-based biosensor promises a rapid detection and indirectly giving fast time response and result over the conventional method. The immunosensor development for the cucumber mosaic virus disease detection is very

useful as a diagnostic and analytical tool for highly sensitive detection in the chilies physiology. Thus, the immunosensor has become a great potential in agriculture sectors in order to sustain the chili production. The immunosensor optimization is operating under several specific conditions that serves only for a special purpose and problem. Most works are focused on immunosensor sensitivity, responsivity, efficiency and simplicity of the assay procedure. Additionally, the immunosensor has an ability to generate a direct electrical signal which gives a potential to monitor real-time analytes and this immunosensor is a suitable tool that can do continuous monitoring in the infected area.

In this thesis, the development of an immunosensor and designing the immunosensor which is screen-printed carbon electrode (SPCE) with a three electrodes system (working, reference and counter) will be described. Nowadays, the SPCE is widely used and additionally they are very economical (easy to fabricate in bulk and disposable), very easy to handle, miniaturized portable system, high sensitivity and selectivity on detection. Thus, this immunosensor have a huge potential to be used for the detection of cucumber mosaic virus in chili plantation.

1.3 Research Objectives

1.3.1 General Research Objective

The aim of this research is to develop high sensitivity and selective immunosensor as a transducer for immobilization and binding of plant disease detection. These objectives are accomplished with the following specific objectives.

1.3.2 Specific Research Objective

The specific objectives of this research are:

- To study the effect of a binding process for sensitivity measurement of the reaction between screen-printed carbon electrode (SPCE) and biomolecule samples.
- To assess the performance of surface modification of inorganic material (carbon) for better attachment of gold nanoparticles conjugate on the inorganic surface for immobilization and binding process.
- To explore the performance and the proposed of screen printed carbon electrode sensor to function as biosensor for detection of biomolecule samples for sensitivity and selectivity detection using cyclic amperometric measurement.
- To study gold nanoparticles performance and functionality in detection, reliability and efficiency toward biomolecule field samples for immobilization and binding process.
- To study cross-reactivity at various biomolecule samples to verify the sensor does not react to other diseases using cyclic amperometric measurement.

1.4 Research Scopes

First of all, at the early stages of the study, the literature review, and the theoretical understanding on the Cucumber Mosaic Virus (CMV) isolation and purification, Immunoglobulin G purification, SPCE as a sensor platform and biomolecule detection as a critical point or parameter for the understanding of the design and immunosensor detection.

The next scope is to extract and purify cucumber mosaic virus (CMV) from infected cucumber leaves for antibody production in rabbit, enzyme fabrication, and immunosensor antigen detection study.

Afterward, the purified cucumber mosaic virus (CMV) are optimized and characterized morphologically and serologically by using Transmission Electron Microscopy (TEM) and a microplate reader. It is very important to yield a high quality of antigen to ensure the efficiency of biosensor detection.

Furthermore, for antibody production, the rabbit is immunized with the purified CMV in order to stimulate the immune system to produce antibody against the CMV and the antibody is extracted from serum that gained after bled the rabbit for antibody purification.

The purification of antibody and chromatography process is proceed on the host's (rabbit) serum by using AKTAprime purifier to gain the specific antibody (IgG) for surface modification process which is used to binding the purified cucumber mosaic virus (CMV).

The Immunoglobulin G (IgG) is characterized in morphologically and serologically by using UV-Spectrometer and microplate reader. It is very important to do confirmation on an Immunoglobulin G (IgG) so it can binding perfectly with purified CMV.

Afterward, the activated peroxidase conjugation was demonstrated by conjugating between polyclonal antibody and Sodium Periodate using the establish method. This conjugation of activated Peroxidase to the polyclonal antibody (IgG-HRP) is a crucial part in electrical measurement using SPCE.

The conjugation of gold nanoparticles is prepared by conjugating between gold nanoparticles and polyclonal antibody and the gold nanoparticles conjugate used in immobilization process on the screen printed carbon electrode whereby the gold nanoparticles main purpose is to change the properties of the electrode surface.