DESIGN AND DEVELOPMENT OF SINGLE PHASE AC INDUCTION MOTOR USING COPPER ROTOR BARS

otienal convitent otienal AHA outinistemisphotocol SYATIRAH BINTI MOHD NOOR

UNIVERSITI MALAYSIA PERLIS 2011



DESIGN AND DEVELOPMENT OF SINGLE PHASE AC INDUCTION MOTOR USING COPPER ROTOR BARS

by

SYATIRAH BINTI MOHD NOOR (0830910242)

A thesis submitted In fulfillment of the requirement for the degree of Master of Science (Electrical Systems Engineering)

School of Electrical Systems Engineering UNIVERSITI MALAYSIA PERLIS

2011

UNIVERSITI MALAYSIA PERLIS

]	DECLARATION OF THESIS
Author's full name	:	SYATIRAH BINTI MOHD NOOR
Date of birth	:	29 OKTOBER 1985
Title	:	Design and Development of Single Phase AC Induction Motor Using Copper Rotor Bars
Academic Session	:	2008-2011
I hereby declare that	the thes	is becomes the property of Universiti Malaysia Perlis (UniMAP)
and to be placed at th	ne librar	y of UniMAP. This thesis is classified as:
		othe
CONFIDENT	ΓIAL	{Contains confidential information under the Official Secret
		Act 1972}
[]		
RESTICTED	X	Contains restricted information as specified by the
	Pro	organization where research was done}
OPEN ACCE	ESS	I agree that my thesis is to be made immediately available as
- Her		hard copy or on-line open access (full text)
I, the author, give pe	ermissio	n to the UniMAP to reproduce this thesis in whole or in part for
the purpose of resear	rch or a	cademic exchange only (except during a period of years, if
so requested above).		
1 ,		Certified by:
SIGNAT	ΓURE	SIGNATURE OF SUPERVISOR

Syatirah Binti Mohd Noor IC. NO: 851029-11-5342 Date: Prof. Dr. Ismail Bin Daut

Date:

ACKNOWLEDGEMENTS

Without the support of numerous people the successful completion of this desertion would not have materialized. First of all, I would like to express my appreciation and grateful to Almighty Allah because gave me such ability and time to have completed my research. Lot of thank to my supervisor, Prof. Dr. Ismail Daut for his guidance, support, patience, advice and encouragement during this research.

I thank to the members of my induction Motor research group Gomesh Nair, Mohd Asri, Mohd Muzhar, Yanawati and Nor Shafiqin for their help, encourage, support and donating their time during my research. I am indebted to the technicians and also Electrical Energy and Industrial Electronics Research Cluster's (EEIES) member that involved directly or indirectly that were kindly gave me full co-operation and support during completing this project.

Lastly, the deep grateful to all my family members especially my parents for a lifetime support, selfless love, endless patience, encouragement and understanding.

TABLE OF CONTENTS

		Page
APP	ROVAL AND DECLARATION SHEET	ii
ACK	NOWLEDGMENT	iii
TAB	LE OF CONTENTS	iv
LIST	T OF TABLES	viii
LIST	C OF FIGURES	ix
LIST	COF SYMBOLS, ABBREVIATIONS OR NOMENCLATURE	xii
ABS	ГRAK	xiv
ABS'	TRACT	XV
СНА	PTER 1 AIM OF THE INVESTIGATION	1
СНА	PTER 2 INTRODUCTION OF ROTATING MACHINE	
2.1	Introduction	3
2.2	Single Phase Induction Motor Background	3
2.3	Manufacturing aspect for rotor construction	4
2.4	Rotor Models	6
2.5	Investigation of Induction Motor Losses based on Mathematical Modeling	7
СНА	PTER 3 MAGNETIC MATERIAL OF ROTATING MACHINE	
3.1	Material Properties of Electrical Steels for Rotating Machine	13
3.2	Material Properties of copper for Rotor Bar Slots	18
	3.2.1 Physical Aspect	19
	3.2.2 Mechanical aspect	19

	3.2.3 Properties of copper	20
3.3	Material Properties of Aluminium for Rotor Bar Slots	23
	3.3.1 Physical Aspect	24
	3.3.2 Mechanical Aspect	24
	3.3.3 Properties of Aluminium	25
CHA	PTER 4 SOFTWARE PROCEDURE	
4.1	OPERA 2D Modelling Preview	28
	4.1.1 Build Half-tooth and Half-pole Model	28
	4.1.2 Build Complete Model	33

CHAPTER 5 HARDWARE EXPERIMENTAL AND ROTOR FABRICATION

5.1	Exper	imental Setup	39
	5.1.1	Experimental of No-Load Test	39
	5.1.2	Separating Friction and Windage Loss	43
	5.1.3	Experimental of DC Resistance Test	44
	5.1.4	Experimental of Blocked Rotor Test	45
	5.1.5	Efficiency Estimation	47
Ċ)	5.1.5.1 Efficiency Equation	48
		5.1.5.2 Loss Segregation Method	48
	5.1.6	Economical Aspects Based on Experiments	49
5.2	Devel	opment of the Rotor of Single Phase Induction Motor	51
	5.2.1	Design Model via Auto-Cad Software	51
	5.2.2	Form a Lamination of Steel Block	52
	5.2.3	Cutting Part via EDM Wire Cut Machine	54

5.2.4	Assemble the Plate to The Rotor Form	57
5.2.5	Compressing the Copper Powder into The Rotor Forms	58
5.2.6	Melting the Copper Powder via Furnace	58
5.2.7	Assemble and form a new copper rotor motor	60

X

CHAPTER 6 RESULTS AND DISCUSSION

6.1	OPERA 2D Modeling	61
	6.1.1 Copper Slot Material	62
	6.1.2 Aluminum Slot Material	66
	6.1.3 Comparison Steady-state Analysis for Aluminium and Copper	71
	6.1.3.1 Magnetic flux density	71
	6.1.3.2 Torque Vs Speed	73
	6.1.3.3 Torque Vs Slip	75
	6.1.3.4 Rotor Doss Bars Vs Speed	76
6.2	Experimental Analysis	77
	6.2.1 D ata Analysis for No Load Test	77
	6.2.2 Separating Friction and Windage Losses	79
4	6.2.3 Data Analysis for Block Rotor Test	80
\bigcirc	6.2.4 Data Analysis for DC Resistance Test	81
	6.2.5 Comparison of Copper Rotor bar with Aluminium Rotor	83
	6.2.6 Laboratory Experiments Analysis for Losses Segregation	85
6.3	Result Validation	87
6.4	Cost Saving in Induction Motor	88

CHAPTER 7 CONCLUSION AND FUTURE RECOMMENDATION

7.1	Conclusion	91
7.2	Product	93
7.2	Future Recommendation	93

REFERENCES	94
APPENDIX A: LIST OF PAPERS, JOURNALS & AWARDS	102
APPENDIX B: COPPER ROTOR BAR ANALYSIS	106
APPENDIX C: ALUMINIUM ROTOR BAR ANALYSIS	109
APPENDIX D: MALAYSIA ELECTRICITY RATES	112
orthis tern is protected by or	

vii

LIST OF TABLES

Tables No.		Page
3.1	Selection of Electrical Steel (Non Grain) Grades Produced by	17
	European Electrical Steels (Beckley, P. 2002)	17
4.1	Polarity of Conductor (4-pole, 36 slots)	36
6.1	1-phase induction motor AC Analysis	62
6.2	1-phase induction motor AC Analysis	66
6.3	No-Load Test Data for 1.5HP Induction Motor with Aluminium rotor bar	77
6.4	No-Load Test Data for 1.5HP Induction Motor with Copper rotor bar.	78
6.5	Blocked Rotor Test for both rotor bar.	80
6.6	Rotor Loss for Aluminium and Copper Rotor Bar.	81
6.7	DC Resistance Test results.	81
6.8	No load Losses from Aluminium and Copper Rotor Bar.	82
6.9	Loss Comparison of Existing Aluminium Rotor and Copper Rotor.	83
6.10	Result Validation from Hardware and Software	88
6.11	Comparison of Energy and Money saving from using Aluminium and Copper rotor bars	89

Figures No.		Page
2.1	Rotor Slot Model	6
4.1	Import AutoCAD DXF File	29
4.2	Pick at Nearest Construction Line Intersection	30
4.3	Close Polygon Command	30
4.4	Modify Side Properties	31
4.5	Region for Induction Motor	31
4.6	Material Labelling	32
4.7	Make Group Regions	33
4.8	Make Copies by Regions for Mirror Image	34
4.9	Complete Model and Define Rotating Air Gap	34
4.10	Opera 2D Winding Configuration of the 1-phase Induction Motor	36
4.11	External Circuit Parameter	37
4.12	Create New Circuit	38
5.1	No Load Test Circuit of Induction Motor. (Trip Adler 2007)	40
5.2111	Induction machine equivalent circuit for no-load test (N.Gomesh 2009)	40
5.3	No-Load Test of Induction Motor.	42
5.4	Separating Friction and Windage Loss Graph	43
5.5	: DC Resistance Test of Induction Motor	44
5.6	DC Resistance Test Setup	45
5.7	Equivalent circuit for blocked rotor test	46
5.8	Blocked Rotor Test Setup.	47

LIST OF FIGURES

5.9	Auto-Cad model of single phase induction motor	51
5.10	The non-grain in the block size	52
5.11	The blocks after grinding	53
5.12	Milling Machine	53
5.13	The blocks after milling	54
5.14	The blocks at the EDM wire cut machine	55
5.15	EDM wire cut machine	55
5.16	The blocks after cutting	56
5.17	The blocks after cutting	56
5.18	The plate in the rotor form	57
5.19	The plate in the rotor form	57
5.20	The rotor after compressing the copper powder	58
5.21	The furnace	59
5.22	Rotor in the furnace tube	59
5.23	Induction motor with copper rotor	60
6.1	Complete model of single phase induction motor.	61
6.2	Magnetic flux density of copper rotor bar	63
6,3	Torque vs. Speed (r.p.m) of copper rotor bar	64
6.4	Torque vs. Slip of copper rotor bar	64
6.5	Slip vs. Speed of copper rotor bar	65
6.6	Loss Bar vs. Speed (r.p.m)	65
6.7	Magnetic flux density of aluminium rotor bar	67
6.8	Torque vs. Speed(r.p.m) of aluminium rotor bar	68
6.9	Torque vs. Slip of aluminium rotor bar	69
6.10	Slip vs.Speed(r.p.m) of aluminium rotor bar	69

6.11	Loss Bar vs. Speed(r.p.m) of aluminium rotor bar	70
6.12	Magnetic flux density of aluminium and copper rotor bar	71
6.13	Torque vs. Speed (r.p.m) of aluminium and copper slot materials	73
6.14	Torque vs Slip of aluminium and copper slot materials	75
6.15	IM power losses pie chart	76
6.16	Separating Friction and Windage Loss for Aluminium rotor bars.	78
6.17	Separating Friction and Windage Loss for Copper rotor bar.	79
6.18	Copper Rotor bar and Aluminium Rotor bar Performance	84
6.19	Loss Segregation of Aluminium Rotor bar of 1.5HP Induction	85
6.20	Loss Segregation of Copper Rotor bar of 1.5HP Induction Motor	86
C T	ts ternis	

LIST OF SYMBOLS, ABBREVIATIONS OR NOMENCLATURE

А	Ampere
Al	Aluminium
Cu	Copper
В	Magnetic Flux Density
f	Frequency
М	Magnetization
m	Magnetic moment
mmf	Magneto Motive Force
Ν	Nitrogen
Ν	Number of Turns
N-M	Newton Meter
R	Resistance
RD	Rolling Direction
R_m	Reluctance
RPM	Revolution per Minute
Т	Tesla
vÔ	Velocity of the Bar Relative to the Magnetic Field
W	Watt
Wb	Weber
Н	Magnetic Field Intensity
DC	Direct Current
AC	Alternating Current
HP	Horse Power

Ν	North
S	South
Р	Power
Pin	Input Power
2D	Two Dimension
IEEE	Institute Electric and Electronic Engineering
IEC	International Electrotechnical Commission
LIM	Linear Induction Motor
PWM	Pulse Width Modulation
IPM	Interior Permanent Magnet
EMF	Electromagnetic Force
FEM	Finite Element Method
LF	Load Factor
ASD	Adjustable Speed Drive
NEMA	National Electrical Manufacturers Association
TNB	Tenaga Nasional Berhad
AES	Annual Energy Saving
TCS	Total Cost Saving
\bigcirc	

REKABENTUK DAN PEMBANGUNAN MOTOR ARUHAN ULANG ALIK SATU FASA MENGGUNAKAN BATANG ROTOR TEMBAGA

ABSTRAK

Dalam tesis ini, Motor aruhan arus ulang alik satu fasa telah di kaji dan dianalisa dengan bahan batang rotor yang berbeza pada aspek parameter, kecekapan, faktor kuasa dan kehilangan kuasa vang berlaku pada motor aruhan. Satu batang rotor kuprum dihasilkan dan dibandingkan dengan batang rotor aluminium yang sedia ada sepanjang project ini. Fasa pertama projek adalah perbandingan dilakukan dengan menggunakan simulasi perisian Opera 2D diantara batang rotor aluminium dan batang rotor kuprum untuk motor aruhan kuasa kuda 1.5 yang mempunyai konfigurasi belitan pemegun yang sama. Perbandingan Opera 2D yang dilakukan merangkumi aspek kehilangan kuasa, ketumpatan arus pusar, tork terhadap kelajuan, tork terhadap gelincir, kehilangan kuasa terhadap kelajuan dan kehilangan kuasa terhadap gelincir. Fasa kedua projek adalah perbandingan yang dilakukan di makmal iaitu perbandingan diantara batang rotor kuprum yang dihasilkan dengan batang rotor aluminium yang sedia ada. Dalam bahagian ini, batang rotor kuprum dan batang rotor aluminium dikaji dengan melakukan ujian tanpa beban, ujian rotor tertahan dan ujian rintangan arus terus untuk mengkaji perbezaan kecekapan, kehilangan dan pembaikan faktor kuasa diantara kedua-dua rotor berkenaan. Kesimpulan penyelidikan, baik perisian mahupun ujian makmal menunjukkan bahawa batang rotor kuprum mampu menaikkan kecekapan motor dan faktor kuasa sebanyak 1.07 % dan mengurangkan kehilangan kuasa sebanyak 11 Watt berbanding dengan pengunaan batang rotor aluminium. Satu perhitungan ekonomi telah disediakan untuk menunjukkan bilangan tenaga dan wang yang boleh dijimat dengan mengantikan batang rotor aluminium dengan batang rotor kuprum. Untuk aspek penjimatan tenaga tahunan (AES) dan penjimatan jumlah kos (TCS), rotor kuprum mampu menjimatkan 124.51kWh untuk setahun dan kadar utiliti sebanyak RM41.76 untuk satu motor setahun. Akhir sekali, satu anggaran kasar dibuat untuk penjimatan 100, 000 biji motor aruhan yang telah digantikan dengan batang rotor kuprum dan menunjukkan sebanyak RM4.2 juta boleh O This iter dijimatkan.

DESIGN AND DEVELOPMENT OF SINGLE PHASE AC INDUCTION MOTOR USING COPPER ROTOR BARS

ABSTRACT

In this thesis, the single phase AC induction motor have been investigated and analyzed in terms of the induction motor parameter, efficiency, power factor and loss segregation of different rotor bar material. A copper rotor bar is fabricated and compared with the existing aluminium rotor bar through out this project. First aspect of comparison is done with software simulation using Opera 2D between aluminium rotor bar and copper rotor bar for the same 1.5HP stator slot design and winding configuration. The Opera 2D is compared in range of power loss, magnetic flux density, torque vs. speed, torque vs. slip, power loss vs. speed and power loss vs. slip. The second aspect is the hardware comparison between the fabricated copper rotor bars with the existing aluminium rotor bar. In this part, the copper rotor bar and aluminium rotor bar are tested using no load, blocked rotor, and DC resistance test to achive the difference of efficiency, losses and power factor improvement. From the overall experiment of software and hardware, results shows that copper rotor bar does increase the efficiency and power factor to 1.07 % and reduce losses to 11 watts compare to aluminium rotor bar. An economical aspect is presented to show the amount of energy and money that can be saved from replacing the aluminium rotor bar with a copper rotor bar. As for the annual energy saving (AES) and total cost saving (TCS), the copper rotor manage to save 124.51kWh per year and utility billing by RM41.76 per year per motor. Finally a rough estimation of 100,000 pieces induction motor that have been replaced with the copper rotor bars is assumed and shows that it will save approximately RM4.2 million. this ten is prot

CHAPTER 1

AIMS OF INVESTIGATION

It is well known that incorporation of copper for the conductor bars and end rings of the induction motor in place of aluminum would result in attractive improvements in motor energy efficiency. Die cast motor rotors are universally produced in aluminum today because of fabrication by pressure die casting is a well established and economical method. Only small numbers of very large motors utilize copper in the rotors by mechanical fabrication. Such fabrication involves intensive hand labor and therefore is expensive. Die casting, when it can be performed, is widely recognized as a low cost manufacturing process. For these reasons, die-casting has become the fabrication method of choice and aluminum the conductor of choice in all but the largest frame motors. Tool steel molds as used for the aluminum die casting process have proved to be entirely inadequate when casting higher melting point metals including copper. Lack of a durable and cost effective mold material has been the technical barrier preventing manufacture of the copper cast rotor.(J.G. Cowie and D.T 1998)

This thesis focuses on the effect in single phase AC induction motor by replacing copper material instead of the existing aluminium material in the rotor slot of an induction motor. The efficiency and performance of the induction motor using these two materials is investigated. The investigations consider two aspects which are the experimental as well as software to compare and validate the results in term of efficiency of the induction motor.

The design and simulation of single phase AC induction motor by using Opera 2D software version 12.0 for aluminium and copper rotor bars are done as well. The design consists for the rotor bar parameter and the shape for the induction motor. The design parameters are similar with the existing induction motor but vary in terms at the material usage. From this simulation, the magnetic flux density, torque, speed, slip and the loss bar were verified. The performance of the copper rotor bar is investigated in terms of efficiency, power factor, losses reduction potential and economical aspect analysis in terms of money and energy saving is presented as well. The losses such as stator copper loss, rotor loss, core loss, friction and windage loss, stray loss can be obtained by conducting experiments such as no load test, DC resistance test and blocked rotor test. The efficiency of the 1.5HP single phase AC induction motor based on the losses parameters is obtained in both rotors and the results are compared to see if the copper rotor bar of an induction motor can produce the better performance than the existing aluminum rotor bar induction motor. o This tem is P

CHAPTER 2

INTRODUCTION OF ROTATING MACHINE

2.1 Introduction

An induction motor is simply an electric transformer whose magnetic circuit is separated by an air gap into two relatively movable portions, one carrying the primary and the other the secondary winding. Alternating current supplied to the primary winding from an electric power system induces an opposing current in the secondary winding, when the latter is short-circuited or closed through external impedance. Relative motion between the primary and secondary structure is produced by the electromagnetic forces corresponding to the power thus transferred across the air gap by induction. The essential features which distinguish the induction machine from other type of electric motors is that the secondary currents are created solely by induction, as in a transformer instead of being supplied by a dc exciter or other external power sources, as in synchronous and dc machines. (Nyein Nyein Soe, T. T. H. Y, & Soe Sandar Aung, 2008).

2.2 Single Phase Induction Motor Background

Single phase motors are the most familiar of all electrical motors because they are used in home appliances and portable machine tools. In general, they are employed when 3-phase power is not available. There are many kinds of single-phase motors on the market, each designed to meet a specific application. They are composed of a squirrelcage rotor and a stator. The stator carries main winding, which creates a set of N, S poles. It also carries a smaller auxiliary winding that only operates during the brief period when the motor starts up. The auxiliary winding has the same number of poles as the main winding has.

Starting with the laminated iron stator, paper insulators, called slots liners are first inserted in a slots. The main winding is then laid in the slots. Next, the auxiliary winding is embedded so that its poles straddle those of the main winding. Each pole of the main winding consists of a group of four concentric coils, connected on series. Adjacent poles are connected so as to produce alternate N, S polarities. The empty slots in the center of each pole and the partially filled slots on either side of it are used to lodge the auxiliary winding. The latter has only two concentric coils per pole. The large main winding and the smaller auxiliary winding are displaced at right angles to each other. (W.Theodore, 2006)

2.3 Manufacturing aspect for rotor construction

New lines of high-efficiency induction motors are now being produced by all major manufacturers and they are forming an ever-increasing share of the induction motor market. Several techniques are used to improve the efficiency of these motors compared to the traditional standard-efficiency designs. Among these techniques are: (Peter B.Charlton 1959)

- More copper is used in the stator windings to reduce copper losses.
- The rotor and stator core length is increased to reduce the magnetic flux density on the air gap of the machine. This reduces the magnetic saturation of the machine, decreasing core losses.
- More steel is used in the stator of the machine, allowing a grater amount of heat transfer out of the motor and reducing its operating temperature. The rotor's fan is then redesigned to reduce windage losses.
- The steel used in the stator is special high-grade electrical steel with low hysteresis losses.
- The steel is made of an especially thin gauge (i.e., the laminations are very close together), and the steel has a very high internal resistivity. Both effects tend to reduce the eddy current losses in the motor.
- The rotor is carefully machined to produce a uniform air gap, reducing the stray load losses in the motor.

In addition to the general techniques described above, each manufacturer has his own unique approaches to improving motor efficiency.

The most common three-phase (polyphase) induction motors fall within the following major types:

NEMA(National Electrical Manufacturers Association).

- NEMA design B : Normal torques, normal slip, normal locked amperes
- NEMA design A : High torques, low slip, high locked amperes

- NEMA design C : High torques, normal slip, normal locked amperes
- NEMA design D : High locked-rotor torques, high slip
- Wound-rotor : Characteristics depend on external resistance
- Multispeed : Characteristics depend on design variable torque, constant torque, constant horsepower

There are many specially designed electric motors with unique characteristics to meet specific needs. (Peter B.Charlton 1959)



Figure 2.1: Rotor Slot Model

The rotor slots geometry can be considered as an independent design parameter. Nowadays, with the computing tools based on the numerical analysis, it is possible to redesigning of the rotor slots to improve the electromagnetic performance of squirrel cage induction motor without significant cost. (V.A Galindo, 2010). The Figure 2.1 shows the variety of rotor shape that can be used by the manufacturer to improve the efficiency of the motor.

2.5 Investigation of Induction Motor Losses based on Mathematical Modeling

Mathematical modeling is a basic for the dynamic simulation of induction motor. The dynamic simulation is one of the key steps in the validation of the design process of the motor drive systems and it is needed for eliminating inadvertent design mistakes and the resulting error in the prototype construction and testing. The dynamic simulation mostly demonstrates steady state performance of induction motor.

(2.1)

Synchronous speed calculation

$$n_s = \frac{120 f}{p}$$

$$f = \text{Frequency}$$

 \vec{p} = Number of pole in induction motor stator

 $n_s =$ Synchronous speed

Voltage Induced in the rotor calculation

(C)

Voltage induced,
$$e_{ind} = (V \times B)xI$$
 (2.2)
 $V = \text{Velocity of the bar relative to the magnetic field}$
 $B = \text{Magnetic flux density vector}$
 $I = \text{Length of conductor in the magnetic field}$
Slip in the Induction Motor calculation
Slip speed, $n_{slip} = n_s - n_r$ (2.3)
 $\text{Slip, } S = \frac{n_{slip}}{n_s} = \frac{n_s - n_r}{n_s} \times 100\%$ (2.4)
 $= \frac{\omega_s - \omega_r}{\omega_s} \times 100\%$ (2.5)
 $\omega_s = Rad/\text{sec}$ $n_{slip} = \text{Slip speed of the machine}$ (Difference in between stator & rotor speed)
 $\omega_r = (1 - S)n_s$ $n_r = \text{Mechanical shaft/rotor speed}$
 $\omega_r = (1 - S)\omega_r$ $n_r = \text{Mechanical shaft/rotor speed}$