

INVENTORS:

MOHD ASHARUDDIN BIN HAS MOHD AIZUDDIN BIN YUSRI (I MUHAMAD FIRDAUS BIN RAN RUHANA BINTI ROZALI (0912) NORAZALINA BINTI ISMAIL (0 ROHANA BINTI HASHIM (0912)



ISAN (K) (091200604) 091200599) ILAN (091200739) 01895) 191201828) 101891) CONTACT DETAIL:

School of Environmenta Universiti Malaysia Perl Kompleks Pusat Penga 02600 Arau Perlis

TEL: 04 - 979 8626 FAX:

NOVELTY AND COMME

ADD DI ACTED MODI

AL MIXER DE-THE MORTAR EIL WORKS

al Engineering lis jian Jejawi 3

04 - 979 8636

ERCIAL POTENTIAL

Z INLAM DIOLIC

INTRODUCTION

Studies that we want to do is the use of detergent into the replaster work. For knowledge, during training in an industria contractor. This method has the project site.

However this method ha the public as a whole because not been proven in studies. H important to study whether th terial really added to facilitate well save time and cost.

PRODUCT DESCRIPTION

Plastering work is a process brick walls to make its smooth to the brick wall than the wall ter stick to the wall is strong, shall scratch with claw plaste. There are three main groups plaster lime plaster, Portland gypsum plaster. The combina usually are used.

to add material about mortar to facilitate the this idea was obtained I construction company seen practiced at the

is not been disclosed to e its effectiveness has owever, we think it is e use made of this mawork and plaster as

n. This should be done face. So that the plasbinding and surface ring work done before of materials used its cement plaster and ition of these materials

ADD PLASTER WORK

Detergent mixture into can provide the fragrar atmosphere, can comn

TROUBLESHOOTING

Difficulty works plaster Happen when high rate Need manpower exper

OBJECTIVE:

To simplify ceil works.

To save cost and time.

To reduce the use of m

To reduce wastage the



1 III VAKIUUS

smooth mortars and mortar at scent suitable for a peaceful annercial to a wider field.

ISSUES

es waste plaster ienced and highly skill

anpower. mortar.







