THE INVESTIGATION OF HYBRID SYSTEM WITH AC TURBINE GENERATOR AND A ophilipinal convincent ovicenal convincent toy KIMIP **PHOTOVOLTAIC**

MOHD HAKIMI BIN WAHAT

SCHOOL OF ELECTRICAL SYSTEM ENGINEERING **UNIVERSITI MALAYSIA PERLIS** 2011

THE INVESTIGATION OF HYBRID SYSTEM WITH AC TURBINE GENERATOR AND **PHOTOVOLTAIC**

· ienal copyrient By

MOHD HAKIMI BIN WAHAT protected

Report submitted in partial fulfillment

of the requirement for the degree

O This ten of Bachelor of Industrial Electronic Engineering



May 2011

ACKNOWLEDGMENT

First of all and the greatest important, all praises and thanks are due to ALLAH for all His blessings from the first day of this project until it complete.

I would like to thank my supervisor Mr. Mohd Irwan Bin Yusoff for his inspiration and encouraging way to guide me to a deeper understanding of my work, and his invaluable comments during the whole work of this dissertation. Without his encouragement and constant guidance, I could not have finished this dissertation. He was always there to meet and discuss about my ideas related to my work and to proofread and make important comments throughout my papers and chapters, and also to ask me important questions that helped me think through my problems. His efforts are very much appreciated.

I would also like to thank my friends who have shared their views and experience regarding to my final year project. They have shared their field of expertise, allowing me to expand my horizons and keep on top of new developments.

Last, but not the least, I would like to thank my beloved family for their firm support and patience in the most important period of my life.

DECLARATION SHEET

I hereby declare that my Final Year Project Thesis is the result of my research work under supervision of MR.MOHD IRWAN BIN YUSOFF. All literature sources used for the writing of this thesis have been adequately referenced.

| for the writing of this th | itsis have been adequately referenced. |
|----------------------------|--|
| | |
| | THE |
| | |
| | |
| | · 1020- |
| | |
| | O |
| Name | : MOHD HAKIMI BIN WAHAT |
| Candidate number | : 071070474 |
| Supervisor | : MR MOHD IRWAN BIN YUSOFF |
| Title of thesis | THE INVESTIGATION OF HYBRID SYSTEM WITH |
| | AC TURBINE GENERATOR AND PHOTOVOLTAIC |
| . 5 | |
| | |
| . KOLL | |
| | |
| | |
| | |
| | |
| | |

| Candidate's signature: | . Supervisor signature: |
|------------------------|-------------------------|
|------------------------|-------------------------|

Date:

Date:

APPROVAL AND DECLARATION SHEET

This project report The Investigation of Hybrid System With AC Turbine Generator and Photovoltaic was prepared and submitted by Mohd Hakimi bin Wahat (Matrix Number: 071070474) and has been found satisfactory in terms of scope, quality and presentation as partial fulfillment of the requirement for the Bachelor of Engineering (Industrial Electronic) in Universiti Malaysia Perlis (UniMAP).

Checked and Approved by Checked and Approved by Checked by (Mr. Mohd Irwan bin Yusoff) Project Supervisor

> School of Electrical System Universiti Malaysia Perlis

> > May 2011

PENYIASATAN TERHADAP SISTEM KACUKAN MENGGUNAKAN FOTOVOLTA DAN PENJANA TURBIN AT

ABSTRAK

Aplikasi sistem tenaga yang boleh diperbaharui telah menjadi satu pilihan alternatif penting sebagai pembekal tenaga apabila harga minyak meningkat setiap tahun. Kombinasi lebih dari satu sumber tenaga dipanggil hibrid. Ia akan meningkatkan faktor muatan dan membantu menjimatkan kos-kos penyelenggaraan dan penggantian sebagai boleh diperbaharui dan boleh melengkapi antara satu sama lain. Sistem ini mempunyai kelemahan yang terbesar, iaitu memerlukan modal permulaan yang tinggi tetapi sistem ini mampu untuk bertahan lama malahan system ini juga boleh dipercayai dan kosnya efektif. Menggunakan fotovolta dan penjana turbin AT sebagai sistem kacukan adalah pilihan terbaik kerana menyediakan system kecekapan yang murah, boleh dipercayai dan kos yang efektif. Dalam penyiasatan ini, kajian tentang arus,voltan dan power terhadap masa telah dikaji. Data dari kajian ini penting untuk rujukan para pengkaji pada masa depan.Selain itu penyelenggaraannya murah dan mudah dikendalikan.

THE INVESTIGATION OF HYBRID SYSTEM USING PHOTOVOLTAIC AND AC TURBINE GENERATOR

ABSTRACT

The application of renewable energy system has become an important alternative as power provider when the price of oil is increase eachyear. Combination of more than one resources of energy called hybrid. It will improve load factors and help saving on maintenance and replacement costs as the renewable can complement each other. This system has a disadvantages, which is requires high initial capital cost, but for longlasting this system will reliable and cost effective. By using photovoltaic and AC turbine generator as hybrid system is the best choice because provide cheap efficient, reliable and cost effective. In this investigation, effect of current, voltage and power with time will study more and analyze completely. The data from this investigation are important for next research. Besides it has low maintenance and easy to handle by any person.

TABLE OF CONTENTS

| | | Page |
|-------------------|--|------|
| ACK | NOWLEDGMENT | i |
| DEC | LARATION SHEET | ii |
| APP | ROVAL AND DECLARATION SHEET | iii |
| ABS | TRAK | iv |
| ABS | TRACT | V |
| TAB | LE OF CONTENTS | vi |
| LIST | T OF FIGURES | ix |
| LIST | OF ABBREVIATIONS | xii |
| CHA 1.1 | PTER 1 INTRODUCTION Introduction | 1 |
| 1.2 | Problem Statement | 2 |
| 1.3 | Objectives Of The Project | 2 |
| 1.4 | Scope Of The Project | 2 |
| 1.5 | Project Organization | 3 |
| СНА | APTER 2 LITERATURE REVIEW | |
| 2.1 | Introduction | 4 |
| 2.2 | Definition of Hybrid System | 4 |
| 2.3 | Advantages of Hybrid System | 5 |
| 2.4 | Critical Review of Previous Researcher | 6 |
| 2.5 | The Definition of Photovoltaic | 7 |
| | 2.5.1 The Operational of PV System | 8 |

2.5.2 The Calculation of PV System 9

| 2.6 | Generator | 12 |
|------|------------------------------------|----|
| 2.7 | Solar Charger Controller | 13 |
| 2.8 | Battery Bank | 14 |
| 2.9 | Inverter | 19 |
| 2.10 | The Application Diode in PV System | 20 |

Ň

CHAPTER 3 METHODOLOGY

| 3.1 | Introduction | 19 |
|-----|---|----|
| 3.2 | Design Consideration | 21 |
| 3.3 | Hybrid System Simulation using HOMER Software | 22 |
| 3.4 | Design System | 24 |
| 3.5 | Data Measurement | 25 |
| 3.6 | Electrorecorder data logger | 26 |
| | 3.6.1 System parameter measurement from Electrorecorder | 26 |
| 3.7 | Fluke 345 Power Quality Clamp Meter | 28 |
| | 3.7.1 System parameter measurement from Fluke 345 Power | |
| | Quality Clamp Meter | 29 |

CHAPTER 4 RESULT AND DISCUSSION

| Introd | uction | 31 |
|---|---|---|
| Simul | ation Result | 31 |
| The effect of solar irradiance according time Effect of photovoltaic measurement values according time | | 35 |
| | | 39 |
| 4.4.1 | The Relationship of Photovoltaic Current versus Time | 39 |
| 4.4.2 | The Relationship between Photovoltaic Voltages versus | |
| | Time | 42 |
| 4.4.3 | The Relationship between Powers of Photovoltaic | |
| | versus Time | 45 |
| Effect of AC Turbine Generator measurement values according | | |
| time | | 48 |
| 4.5.1 | The Relationship of AC Turbine Generator Current | |
| | versus Time | 48 |
| | Introd Simul The effect 4.4.1 4.4.2 4.4.3 Effect time 4.5.1 | Introduction Simulation Result The effect of solar irradiance according time Effect of photovoltaic measurement values according time 4.4.1 The Relationship of Photovoltaic Current versus Time 4.4.2 The Relationship between Photovoltaic Voltages versus Time 4.4.3 The Relationship between Powers of Photovoltaic versus Time Effect of AC Turbine Generator measurement values according time 4.5.1 The Relationship of AC Turbine Generator Current versus Time |

| | | 4.5.2 | The Relationship of AC Turbine Generator Current | |
|---|------------|--------|--|----|
| | | | versus Time | 49 |
| | | 4.5.3 | The Relationship of AC Turbine Generator Power | |
| | | | versus Time | 50 |
| | 4.6 | Perfor | rmance of hybrid system values according time | 51 |
| | | | × | |
| | | | | |
| | CHA 5 1 | PIER: | 5 CONCLUSION | 54 |
| | 5.1 | Recor | nmendation | 55 |
| | 53 | Com | nercialization | 55 |
| | 5.5 | Comm | | 55 |
| | | | | |
| | REF | ERENC | CES | 56 |
| | | | | |
| | APP | ENDIC | ES C | 58 |
| | | | XCC | |
| | | | OT C | |
| | | | 15 1 | |
| | | | | |
| | | | | |
| | | 12 | | |
| Œ | | 7 | | |
| C | シ | | | |

LIST OF FIGURES

| Figure No . | | Page |
|-------------|--|------|
| 2.1 | Electron flow in Photovoltaic | 9 |
| 2.2 | The equivalent circuit of simple PV cell | 10 |
| 2.3 | More accurate equivalent circuit of PV cel | 11 |
| 3.1 | Flow chart of Final Year Project | 20 |
| 3.2 | The schematic diagram of hybrid system using turbine | |
| | generator and PV | 22 |
| 3.3 | Solar Resource Inputs | 23 |
| 3.4 | System design for HS using PV and ACTG | 24 |
| 3.5 | Electrorecorder logger data | 26 |
| 3.6 | Data parameter from electrorecorder | 27 |
| 3.7 | Data from electrorecorder tranfered using electrosoft software | 27 |
| 3.8 | Fluxe 345 data logger. | 29 |
| 3.9 | Data parameter from Flux 345 | 29 |
| 3.10 | Data from Flux 345 tranfered using power log software | 30 |
| 4.1 | The Graph of Solar Irradiance versus Time | 32 |
| 4.2 | Simulation result of the system | 33 |
| 4.3 | Simulation result of PV power. | 34 |
| 4.4 | Simulation result of Hybrid System power. | 35 |
| 4.5 | The Graph of Solar Irradiance versus Time | 36 |
| 4.6 | The Graph of Solar Irradiance versus Time | 37 |
| 4.7 | The Graph of Solar Irradiance versus Time | 38 |
| 4.8 | The Graph of Photovoltaic Current versus Time | 39 |
| 4.9 | The Graph of Photovoltaic Current versus Time | 40 |
| 4.10 | The Graph of Photovoltaic Current versus Time | 41 |
| 4.11 | The Graph of Voltage Photovoltaic versus Time | 42 |
| 4.12 | The Graph of Voltage Photovoltaic versus Time | 43 |

| 4.13 | The Graph of Voltage Photovoltaic versus Time | 44 |
|------|---|----|
| 4.14 | The Graph of Power Photovoltaic versus Time | 45 |
| 4.15 | The Graph of Power Photovoltaic versus Time | 46 |
| 4.16 | The Graph of Power Photovoltaic versus Time | 47 |
| 4.17 | The Graph of AC Turbine Generator Current versus Time | 48 |
| 4.18 | The Graph of AC Turbine Generator Voltage versus Time | 49 |
| 4.19 | The Graph of AC Turbine Generator Power versus Time | 50 |
| 4.20 | The Graph of Current Hybrid System versus Time | 51 |
| 4.21 | The Graph of Voltage Hybrid System versus Time | 52 |
| 4.22 | The Graph of Power Hybrid System versus Time | 53 |
| | | |

х

LIST OF ABBREVIATIONS

- HS Hybrid System -

C This term is protected by original convitability