



**SURFACE MODIFICATION,  
CHARACTERIZATION AND PROPERTIES OF  
REGENERATED CELLULOSE NYPA  
FRUTICANS FILLED MICROCRYSTALLINE  
CELLULOSE BIOCOMPOSITE FILMS**

by

**VANIESPREE A/P GOVINDAN  
(1440411218)**

A thesis submitted in fulfillment of the requirements for the degree of  
Doctor of Philosophy

**School of Materials Engineering  
UNIVERSITI MALAYSIA PERLIS**

**2017**

**UNIVERSITI MALAYSIA PERLIS**

**DECLARATION OF THESIS**

Author's full name : VANIESPREE A/P GOVINDAN  
Date of birth : 27 MAY 1989  
Title : SURFACE MODIFICATION, CHARACTERIZATION AND PROPERTIES  
OF REGENERATED CELLULOSE NYPA FRUTICANS FILLED  
MICROCRYSTALLINE CELLULOSE BIOCOMPOSITE FILMS  
Academic Session : 2017

I hereby declare that the thesis becomes the property of Universiti Malaysia Perlis (UniMAP) and to be placed at the library of UniMAP. This thesis is classified as :

- CONFIDENTIAL** (Contains confidential information under the Official Secret Act 1972)\*
- RESTRICTED** (Contains restricted information as specified by the organization where research was done)\*
- OPEN ACCESS** I agree that my thesis is to be made immediately available as hard copy or on-line open access (full text)

I, the author, give permission to the UniMAP to reproduce this thesis in whole or in part for the purpose of research or academic exchange only (except during a period of \_\_\_\_ years, if so requested above).

Certified by:

\_\_\_\_\_  
**SIGNATURE**  
890527-03-5320  
**(NEW IC NO. / PASSPORT NO.)**

\_\_\_\_\_  
**SIGNATURE OF SUPERVISOR**  
DR. TEH PEI LENG  
**NAME OF SUPERVISOR**

Date : 16 AUGUST 2017

Date : 16 AUGUST 2017

**NOTES :** \* If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization with period and reasons for confidentiality or restriction.

## ACKNOWLEDGEMENT

Undertaking this PhD has been a truly life-changing experience for me and it would not have been possible to do without the support and guidance that I received from many people.

First and foremost, I would like to thank God, the Almighty, for His showers of blessings throughout my research work to complete the research successfully. I would like to convey my heartfelt gratitude and sincere appreciation to my ex-supervisor, late Assoc. Prof. Ir. Dr. Salmah Husseinsyah for her endless guidance, encouragement, advices, ideas, and mentorship throughout my research journey. Through her depth of knowledge, enthusiasm for my topic and tremendous expertise enables me to develop an understanding of this research thoroughly. I would also like to acknowledge my current supervisor, Dr. Teh Pei Leng for her insightful comments and support from the initial to the final level of this project. Thank you for the countless hours of revisions and advice on my thesis. I appreciate the willingness to work on a tight schedule and help me to graduate in a timely manner. Without her support and continuous optimism this thesis would hardly have been completed. I also would like to thank my co-supervisor, Dr. Mohd Shahmie for his supervision and supports.

Completion of this thesis would not have come to a successful completion, without the help I received from the Dean of School of Material Engineering, Dr. Khairrel Rafezi, and the technicians.

I am grateful to my family and relatives for their continuous and unparalleled love, help and support. I am forever indebted to my parents (Mrs. Karthiyani and late Mr. Govindan) for giving me the opportunities and experiences that have made me who

I am. They selflessly encouraged me to explore new directions in life and seek my own destiny. This journey would not have been possible if not for them, and I dedicate this milestone to them. I owe my deepest gratitude to my uncle, Mr. Separamanier. Without his guidance and encouragement, I would not have today's accomplishments.

It is a pleasure to thank my brothers, Mr. Kathiravan and Mr. Lingeswarran for their guidance and suggestions throughout writing process that has been a valuable input for this thesis. They have made available their support in a number of ways, especially towards the completion of this thesis.

I also would like to thank my friends Ms. Cynthia Shanthini, Ms. Shalini Devi, Ms. Nithiya, Ms, Mohana Sunthari and Ms. Kalai Malar for their strong support and complete understanding all the way.

Finally, I would like to thank everyone that have involved in this project directly and indirectly in completing this project successfully.

## TABLE OF CONTENTS

	<b>PAGE</b>
<b>THESIS DECLARATION</b>	i
<b>ACKNOWLEDGEMENT</b>	ii
<b>TABLE OF CONTENTS</b>	iv
<b>LIST OF TABLES</b>	xi
<b>LIST OF FIGURES</b>	xiv
<b>LIST OF ABBREVIATIONS</b>	xxv
<b>LIST OF SYMBOLS</b>	xxviii
<b>ABSTRAK</b>	xxix
<b>ABSTRACT</b>	xxx
<b>CHAPTER 1: INTRODUCTION</b>	1
1.1 Research Background	1
1.2 Problem Statement	7
1.3 Research Objectives	8
1.4 Scope of Study	9
1.5 Thesis Preface	10
<b>CHAPTER 2: LITERATURE REVIEW</b>	11
2.1 Biocomposite Films	11

2.2	Biopolymers	14
2.2.1	Cellulose	20
2.2.1.1	Structure and Properties of Cellulose Fibers	23
2.2.1.2	Crystalline Structure of Cellulose	24
2.2.1.3	Amorphous Regions	26
2.2.1.4	Hydrogen Bonding	27
2.2.2	Microcrystalline Cellulose (MCC)	30
2.3	All Cellulose Composite	30
2.4	Ionic Liquid	35
2.4.1	Dissolution of Cellulose in Ionic Liquid	37
2.4.2	N, N-Dimethylacetamide (DMAc)/ Lithium Chloride (LiCl)	41
2.4.3	Cellulose Activation	45
2.4.4	Regeneration Process	46
2.5	Regenerated Cellulose	48
2.6	Plant Based Natural Fibers (Lignocellulosic Complex)	49
2.6.1	Classification of Natural Fibers	53
2.6.2	Advantages and Disadvantages of Natural Fibers	55
2.7	Nypa Fruticans Fibers	56
2.8	Fiber-matrix Interface	59
2.8.1	Mechanism of Fiber-matrix Adhesion	59
2.8.2	Nicolais and Narkis Theory	63
2.8.3	Nielsen Theory	65
2.9	Pretreatment of Lignocelluloses	66
2.9.1	Alkaline Pretreatment	68
2.9.2	Delignification/Bleaching Treatment	69

2.9.3	Acid Hydrolysis	70
2.10	Chemical Modification	71
2.10.1	Acrylic Acid (AA)	73
2.10.2	Methacrylic Acid (MAA)	75
2.10.3	Butyl Methacrylate Acid (BMA)	76
2.10.4	Maleic Acid (MA)	77
2.10.5	Adipic Acid (ADA)	79
2.10.6	Acetic Acid (AAc)	81
2.10.7	3-Aminopropyltriethoxysilane (APTES)	82
2.11	Biodegradation	84
2.11.1	Enzymatic Hydrolysis of Cellulose	86
<b>CHAPTER 3: RESEARCH METHODOLOGY</b>		<b>88</b>
3.1	Materials	88
3.1.1	Matrix	88
3.1.2	Cellulose Dissolution solvent	88
3.1.3	Filler	89
3.1.4	Pretreatment Chemicals	90
3.1.5	Chemical Modification	91
3.2	Pretreatment of NF	94
3.3	Chemical Modification of NF	94
3.4	Preparation of MCC RC Biocomposite Films	95
3.5	Preparation of Untreated and Treated NF RC Biocomposite Films	96
3.6	Fourier Transform Infrared Spectroscopy (FTIR)	97
3.7	Tensile Test	97

3.8	Scanning Electron Microscopy (SEM)	98
3.9	X-ray Diffraction (XRD)	99
3.10	Thermal Gravimetric Analyzer (TGA)	99
3.11	Moisture Content	100
3.12	Enzymatic Biodegradation	100
 <b>CHAPTER 4: RESULTS AND DISCUSSION</b>		 102
4.1	Effect of MCC Content on the Properties of RC films	102
4.1.1	Tensile Properties	102
4.1.2	X-Ray Diffraction Analysis	110
4.1.3	Thermogravimetry Analysis (TGA)	114
4.1.4	Moisture Content	118
4.1.5	Enzymatic Biodegradation	119
4.2	Effect of NF Content on the Properties of NF RC Biocomposite Films	121
4.2.1	Tensile Properties	122
4.2.2	X-Ray Diffraction Analysis	130
4.2.3	Thermogravimetry Analysis (TGA)	134
4.2.4	Moisture Content	137
4.2.5	Enzymatic Biodegradation	138
4.3	Effect of Acrylic Acid on the Properties of NF RC Biocomposite Films	141
4.3.1	Fourier Transform Infrared (FTIR) Analysis	141
4.3.2	Tensile Properties	144



4.3.1	X-Ray Diffraction Analysis	151
4.3.2	Thermogravimetry Analysis (TGA)	153
4.3.3	Moisture Content	156
4.3.4	Enzymatic Biodegradation	158
4.1	Effect of Methacrylic Acid on the Properties of NF RC Biocomposite Films	160
4.4.1	Fourier Transform Infrared (FTIR) Analysis	160
4.4.2	Tensile Properties	163
4.4.3	X-Ray Diffraction Analysis	171
4.4.4	Thermogravimetry Analysis (TGA)	173
4.4.5	Moisture Content	175
4.4.6	Enzymatic Biodegradation	177
4.2	Effect of Butyl Methacrylate Acid on the Properties of NF RC Biocomposite Films	179
4.5.1	Fourier Transform Infrared (FTIR) Analysis	179
4.5.2	Tensile Properties	182
4.5.3	X-Ray Diffraction Analysis	189
4.5.4	Thermogravimetry Analysis (TGA)	191
4.5.5	Moisture Content	193
4.5.6	Enzymatic Biodegradation	195
4.3	Effect of Maleic Acid on the Properties of NF RC Biocomposite Films	197
4.6.1	Fourier Transform Infrared (FTIR) Analysis	197

4.6.2	Tensile Properties	200
4.6.3	X-Ray Diffraction Analysis	208
4.6.4	Thermogravimetry Analysis (TGA)	210
4.6.5	Moisture Content	212
4.6.6	Enzymatic Biodegradation	214
4.4	Effect of Adipic Acid on the Properties of NF RC Biocomposite Films	216
4.7.1	Fourier Transform Infrared (FTIR) Analysis	216
4.7.2	Tensile Properties	219
4.7.3	X-Ray Diffraction Analysis	227
4.7.4	Thermogravimetry Analysis (TGA)	229
4.7.5	Moisture Content	231
4.7.6	Enzymatic Biodegradation	233
4.5	Effect of Acetic Acid on the Properties of NF RC Biocomposite Films	235
4.8.1	Fourier Transform Infrared (FTIR) Analysis	235
4.8.2	Tensile Properties	238
4.8.3	X-Ray Diffraction Analysis	247
4.8.4	Thermogravimetry Analysis (TGA)	248
4.8.5	Moisture Content	252
4.8.6	Enzymatic Biodegradation	253
4.6	Effect of 3-aminopropyltriethoxysilane on the Properties of NF RC Biocomposite Films	255
4.9.1	Fourier Transform Infrared (FTIR) Analysis	255

4.9.2	Tensile Properties	258
4.9.3	X-Ray Diffraction Analysis	266
4.9.4	Thermogravimetry Analysis (TGA)	268
4.9.5	Moisture Content	270
4.9.6	Enzymatic Biodegradation	272
4.10	Comparisons of the Effect of Different Chemical Modifications Using Different Functional Group Based Chemicals at 3 wt% of NF Content on the Properties of NF RC Biocomposite Films	274
4.10.1	Tensile Properties	274
4.10.2	X-Ray Diffraction (XRD)	278
4.10.3	Thermogravimetric Analysis (TGA)	281
4.10.4	Moisture Content	283
4.10.5	Enzymatic Biodegradation	285
	<b>CHAPTER 5: CONCLUSIONS AND FUTURE WORK</b>	288
5.1	Conclusions	288
5.2	Recommendation for Future Works	290
	<b>REFERENCES</b>	292
	<b>LIST OF PUBLICATIONS</b>	334
	<b>LIST OF AWARDS</b>	335
	<b>APPENDICES</b>	336

## LIST OF TABLES

NO.		PAGE
2.1	Proposed mechanisms of cellulose-DMAc/LiCl complexation	42
2.2	Chemical composition of nypa fruticans fiber (wt% of the original Oven-dried sample basis)	58
3.1	Properties of Microcrystalline Cellulose (MCC)	88
3.2	Properties of N, N-Dimethylacetamide (DMAc)	89
3.3	Properties of Lithium Chloride (LiCl)	89
3.4	Chemical composition of Nypa Fruticans Fiber	90
3.5	Properties of Sodium Hydroxide (NaOH)	90
3.6	Properties of Sodium Chlorite (NaClO <sub>2</sub> )	91
3.7	Properties of Sulfuric Acid (H <sub>2</sub> SO <sub>4</sub> )	91
3.8	Properties of Acrylic Acid (AA)	92
3.9	Properties of Methacrylate Acid (MAA)	92
3.10	Properties of Butyl Methacrylate Acid (BMA)	92
3.11	Properties of Maleic Acid (MA)	93
3.12	Properties of Adipic Acid (ADA)	93
3.13	Properties of Acetic Acid (AAc)	93
3.14	Properties of 3-aminopropyltriethoxysilane (APTES)	94
3.15	Formulation of MCC RC Biocomposite Films	95
3.16	Formulation of Untreated and Treated NF RC Biocomposite Films	96
4.1	The crystallinity index (CrI) of MCC RC films	112
4.2	TGA and DTG data of MCC RC films	117

4.3	Weight loss of RC films after 14 days on enzymatic biodegradation	121
4.4	The crystallinity index (CrI) of NF RC biocomposite films	132
4.5	TGA and DTG data of NF RC biocomposite films	136
4.6	Weight loss of NF RC biocomposite films after 14 days on enzymatic biodegradation	140
4.7	The crystallinity index (CrI) of untreated and treated NF RC biocomposite films with AA	151
4.8	TGA and DTG data of untreated and treated NF RC biocomposite films with AA	153
4.9	Weight loss of untreated and treated NF RC biocomposite films with AA after 14 days on enzymatic biodegradation	158
4.10	The crystallinity index (CrI) of untreated and treated NF RC biocomposite films with MAA	171
4.11	TGA and DTG data of untreated and treated NF RC biocomposite films with MAA	175
4.12	Weight loss of untreated and treated NF RC biocomposite films with MAA after 14 days on enzymatic biodegradation	178
4.13	The crystallinity index (CrI) of untreated and treated NF RC biocomposite films with BMA	189
4.14	TGA and DTG data of untreated and treated NF RC biocomposite films with BMA	193
4.15	Weight loss of untreated and treated NF RC biocomposite films with BMA after 14 days on enzymatic biodegradation	196
4.16	The crystallinity index (CrI) of untreated and treated NF RC biocomposite films with MA	210
4.17	TGA and DTG data of untreated and treated NF RC biocomposite films with MA	212
4.18	Weight loss of untreated and treated NF RC biocomposite films with MA after 14 days on enzymatic biodegradation	216
4.19	The crystallinity index (CrI) of untreated and treated NF RC biocomposite films with ADA	228

4.20	TGA and DTG data of untreated and treated NF RC biocomposite films with ADA	231
4.21	Weight loss of untreated and treated NF RC biocomposite films with ADA after 14 days on enzymatic biodegradation	234
4.22	The crystallinity index (CrI) of untreated and treated NF RC biocomposite films with AAc	248
4.23	TGA and DTG data of untreated and treated NF RC biocomposite films with AAc	251
4.24	Weight loss of untreated and treated NF RC biocomposite films with AAc after 14 days on enzymatic biodegradation	255
4.25	The crystallinity index (CrI) of untreated and treated NF RC biocomposite films with APTES	268
4.26	TGA and DTG data of untreated and treated NF RC biocomposite films with APTES	270
4.27	Weight loss of untreated and treated NF RC biocomposite films with APTES after 14 days on enzymatic biodegradation	273
4.28	Tensile properties for untreated and treated NF RC biocomposite films at 3 wt% of NF content.	278
4.29	Crystallinity index of untreated and treated NF RC biocomposite films at 3 wt% of NF content.	280
4.30	TGA and DTG analysis of untreated and treated NF RC biocomposite films at 3 wt% of NF content.	282
4.31	Moisture content of untreated and treated NF RC biocomposite films at 3 wt% of NF content.	285
4.32	Weight loss on enzymatic biodegradation for untreated and treated NF RC biocomposite films at 3 wt% of NF content.	287

## LIST OF FIGURES

NO.		PAGE
2.1	Classifications of biocomposites	12
2.2	Classification of main biopolymer	15
2.3	The life cycle of biodegradable plastics	17
2.4	Life cycle of cellulose in an industrial context	21
2.5	Molecular structure of cellulose	24
2.6	Atomic arrangement and hydrogen bonding network in cellulose I <sub>α</sub> . Carbon (●), oxygen (○), deuterium atoms (◐). Hydrogen bonding is indicated by dotted lines	25
2.7	Hydrogen bonding network in cellulose I <sub>β</sub> . Carbon (●), oxygen (○), deuterium atoms (◐). Hydrogen bonding is indicated by dotted lines	25
2.8	Schematic of amorphous cellulose and crystalline cellulose	27
2.9	Possible rotational conformation of the cellulose hydroxymethyl group. t and g denote trans and gauche, meaning its dihedral angles of 60° and 180° relative to the ring oxygen and C <sub>4</sub> , marked by the red lines	28
2.10	Cellulose crystal with intra- and intermolecular hydrogen bonds	30
2.11	The chain conformations of cellulose I (left) and cellulose II (right)	30
2.12	Surface selective dissolution process to prepare all cellulose composites	35
2.13	A classification of cellulose solvent systems	38
2.14	Proposed interaction between solvent and polymer acting as the dissolution mechanism of the system cellulose in DMAc/LiCl	44
2.15	Simplified scheme of the direct dissolution and subsequent precipitation of cellulose in a closed-loop process	47

2.16	Structural organization of the three major structural constituents of the fiber cell wall	50
2.17	Structure of the primary sugar groups in hemicellulose. Hexoses: a) glucose, b) mannose, c) galactose and pentose: d) xylose and e) arabinose	51
2.18	Lignin monomer units: a) <i>p</i> -coumaryl, b) coniferyl, and c) sinapyl alcohols	52
2.19	Classification of Plant Fibers	54
2.20	Various parts of the Nypa palm	57
2.21	Schematic diagram of adsorption theory	60
2.22	Schematic diagram of chemical bonding theory	61
2.23	Schematic diagram of mechanical interlocking theory	62
2.24	Schematic diagram of interdiffusion theory	62
2.25	Schematic diagram of electrostatic attraction theory	63
2.26	Deconstruction of lignocelluloses into cellulose, hemicellulose and lignin	68
2.27	Chemical structure of acrylic acid	73
2.28	Chemical structure of methacrylic acid	75
2.29	Chemical structure of butyl methacrylate	76
2.30	Chemical structure of maleic acid	78
2.31	Chemical structure of adipic acid	80
2.32	Chemical structure of acetic acid	81
2.33	Chemical structure of 3-aminopropyltriethoxysilane	83
2.34	Schematic graphic of cellulose structure and mode of action of cellulolytic enzymes EX, EG, and $\beta$ G leading to the formation of D-glucose	87
4.1	Effect of MCC content on tensile strength of RC films	104
4.2	Schematic illustration of cellulose dissolution at 1 wt% and 3 wt% of MCC content, where orange denotes the undissolved part of the	104



	cellulose and green denotes the dissolved cellulose matrix	
4.3	SEM micrograph of tensile surface fracture of RC film (at 1 wt% MCC), where white parts denotes the cellulose matrix and black parts denotes the voids	106
4.4	SEM micrograph of tensile surface fracture of RC film (at 3 wt% MCC), where white parts denotes the cellulose matrix and black parts denotes the voids	106
4.5	Effect of MCC content on elongation at break of RC films	108
4.6	Effect of MCC content on Young's modulus of RC films	109
4.7	XRD curves of RC films	111
4.8	Schematic illustration of the transformation of cellulose I to cellulose II and the interactions among Li <sup>+</sup> cation, Cl <sup>-</sup> anion and DMAc when cellulose dissolves into the DMAc/LiCl system	113
4.9	TGA curves of RC films	115
4.10	DTG curves of RC films	115
4.11	Moisture content of RC films	119
4.12	Weight loss of RC films on enzymatic biodegradation	121
4.13	Effect of NF content on tensile strength of NF RC biocomposite films	124
4.14	SEM micrograph of tensile surface fracture of NF RC biocomposite film (at 1 wt% NF), where the voids are represented by the arrows.	126
4.15	SEM micrograph of tensile surface fracture of NF RC biocomposite film (at 3 wt% NF), where the voids are represented by the arrows.	126
4.16	Effect of NF content on elongation at break of NF RC biocomposite films	128
4.17	Effect of NF content on Young's modulus of NF RC biocomposite films	129
4.18	XRD curves of NF RC biocomposite films	131
4.19	A proposed model of possible hydrogen bonds between RC chains and NF	133

4.20	TGA curves of NF RC biocomposite films	135
4.21	DTG curves of NF RC biocomposite films	135
4.22	Moisture content of NF RC biocomposite films	138
4.23	Weight loss of NF RC biocomposite films on enzymatic biodegradation	140
4.24	FTIR spectra of untreated and treated NF RC biocomposite films with AA	142
4.25	Schematic diagram showing the key features of AA modification of the NF surface and possible mechanism approaches for the fabrication of treated NF RC biocomposite films with AA	143
4.26	Effect of NF content on tensile strength of untreated and treated NF RC biocomposite films with AA	145
4.27	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with AA (at 1 wt% NF), where the voids are represented by the arrows.	146
4.28	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with AA (at 3 wt% NF), where the voids are represented by the arrows.	146
4.29	Relative tensile strength of theoretical and experimental results of untreated and treated NF RC biocomposite films with AA	147
4.30	Effect of NF content on elongation at break of untreated and treated NF RC biocomposite films with AA	149
4.31	Relative elongation at break of theoretical and experimental results of untreated and treated NF RC biocomposite films with AA	150
4.32	Effect of NF content on Young's modulus of untreated and treated NF RC biocomposite films with AA	151
4.33	XRD curves of untreated and treated NF RC biocomposite films with AA	153
4.34	TGA curves of untreated and treated NF RC biocomposite films with AA	154
4.35	DTG curves of untreated and treated NF RC biocomposite films with AA	155

4.36	Moisture content of untreated and treated NF RC biocomposite films with AA	157
4.37	Weight loss of untreated and treated NF RC biocomposite films with AA on enzymatic biodegradation	159
4.38	FTIR spectra of untreated and treated NF RC biocomposite films with MAA	161
4.39	Schematic diagram showing the key features of MAA modification of the NF surface and possible mechanism approaches for the fabrication of treated NF RC biocomposite films with MAA	162
4.40	Effect of NF content on tensile strength of untreated and treated NF RC biocomposite films with MAA	164
4.41	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with MAA (at 1 wt% NF), where the voids are represented by the arrows.	165
4.42	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with MAA (at 3 wt% NF), where the voids are represented by the arrows.	165
4.43	Relative tensile strength of theoretical and experimental results of untreated and treated NF RC biocomposite films with MAA	167
4.44	Effect of NF content on elongation at break of untreated and treated NF RC biocomposite films with MAA	168
4.45	Relative elongation at break of theoretical and experimental results of untreated and treated NF RC biocomposite films with MAA	169
4.46	Effect of NF content on Young's modulus of untreated and treated NF RC biocomposite films with MAA	170
4.47	XRD curves of untreated and treated NF RC biocomposite films with MAA	172
4.48	TGA curves of untreated and treated NF RC biocomposite films with MAA	174
4.49	DTG curves of untreated and treated NF RC biocomposite films with MAA	174
4.50	Moisture content of untreated and treated NF RC biocomposite films with MAA	176

4.51	Weight loss of untreated and treated NF RC biocomposite films with MAA on enzymatic biodegradation	178
4.52	FTIR spectra of untreated and treated NF RC biocomposite films with BMA	180
4.53	Schematic diagram showing the key features of BMA modification of the NF surface and possible mechanism approaches for the fabrication of treated NF RC biocomposite films with BMA	181
4.54	Effect of NF content on tensile strength of untreated and treated NF RC biocomposite films with BMA	183
4.55	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with BMA (at 1 wt% NF), where the voids are represented by the arrows	184
4.56	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with BMA (at 3 wt% NF), where the voids are represented by the arrows	184
4.57	Relative tensile strength of theoretical and experimental results of untreated and treated NF RC biocomposite films with BMA	185
4.58	Effect of NF content on elongation at break of untreated and treated NF RC biocomposite films with BMA	186
4.59	Relative elongation at break of theoretical and experimental results of untreated and treated NF RC biocomposite films with BMA	187
4.60	Effect of NF content on Young's modulus of untreated and treated NF RC biocomposite films with BMA	189
4.61	XRD curves of untreated and treated NF RC biocomposite films with BMA	190
4.62	TGA curves of untreated and treated NF RC biocomposite films with BMA	192
4.63	DTG curves of untreated and treated NF RC biocomposite films with BMA	192
4.64	Moisture content of untreated and treated NF RC biocomposite films with BMA	194
4.65	Weight loss of untreated and treated NF RC biocomposite films with BMA on enzymatic biodegradation	196

4.66	FTIR spectra of untreated and treated NF RC biocomposite films with MA	198
4.67	Schematic diagram showing the key features of MA modification of the NF surface and possible mechanism approaches for the fabrication of treated NF RC biocomposite films with MA	199
4.68	Effect of NF content on tensile strength of untreated and treated NF RC biocomposite films with MA	201
4.69	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with MA (at 1 wt% NF), where the voids are represented by the arrows	202
4.70	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with MA (at 3 wt% NF), where the voids are represented by the arrows	202
4.71	Relative tensile strength of theoretical and experimental results of untreated and treated NF RC biocomposite films with MA	204
4.72	Effect of NF content on elongation at break of untreated and treated NF RC biocomposite films with MA	205
4.73	Relative elongation at break of theoretical and experimental results of untreated and treated NF RC biocomposite films with MA	206
4.74	Effect of NF content on Young's modulus of untreated and treated NF RC biocomposite films with MA	208
4.75	XRD curves of untreated and treated NF RC biocomposite films with MA	209
4.76	TGA curves of untreated and treated NF RC biocomposite films with MA	211
4.77	DTG curves of untreated and treated NF RC biocomposite films with MA	211
4.78	Moisture content of untreated and treated NF RC biocomposite films with MA	214
4.79	Weight loss of untreated and treated NF RC biocomposite films with MA on enzymatic biodegradation	215
4.80	FTIR spectra of untreated and treated NF RC biocomposite films with ADA	217

4.81	Schematic diagram showing the key features of ADA modification of the NF surface and possible mechanism approaches for the fabrication of treated NF RC biocomposite films with ADA	218
4.82	Effect of NF content on tensile strength of untreated and treated NF RC biocomposite films with ADA	220
4.83	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with ADA (at 1 wt% NF), where the voids are represented by the arrows	221
4.84	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with ADA (at 3 wt% NF), where the voids are represented by the arrows	221
4.85	Relative tensile strength of theoretical and experimental results of untreated and treated NF RC biocomposite films with ADA	222
4.86	Effect of NF content on elongation at break of untreated and treated NF RC biocomposite films with ADA	224
4.87	Relative elongation at break of theoretical and experimental results of untreated and treated NF RC biocomposite films with ADA	225
4.88	Effect of NF content on Young's modulus of untreated and treated NF RC biocomposite films with ADA	227
4.89	XRD curves of untreated and treated NF RC biocomposite films with ADA	228
4.90	TGA curves of untreated and treated NF RC biocomposite films with ADA	230
4.91	DTG curves of untreated and treated NF RC biocomposite films with ADA	230
4.92	Moisture content of untreated and treated NF RC biocomposite films with ADA	232
4.93	Weight loss of untreated and treated NF RC biocomposite films with ADA on enzymatic biodegradation	234
4.94	FTIR spectra of untreated and treated NF RC biocomposite films with AAC	236
4.95	Schematic diagram showing the key features of AAC modification of the NF surface and possible mechanism approaches for the fabrication of treated NF RC biocomposite films with AAC	237

4.96	Effect of NF content on tensile strength of untreated and treated NF RC biocomposite films with AAc	239
4.97	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with AAc (at 1 wt% NF), where the voids are represented by the arrows	240
4.98	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with AAc (at 3 wt% NF), where the voids are represented by the arrows	241
4.99	Relative tensile strength of theoretical and experimental results of untreated and treated NF RC biocomposite films with AAc	242
4.100	Effect of NF content on elongation at break of untreated and treated NF RC biocomposite films with AAc	244
4.101	Relative elongation at break of theoretical and experimental results of untreated and treated NF RC biocomposite films with AAc	245
4.102	Effect of NF content on Young's modulus of untreated and treated NF RC biocomposite films with AAc	246
4.103	XRD curves of untreated and treated NF RC biocomposite films with AAc	248
4.104	TGA curves of untreated and treated NF RC biocomposite films with AAc	250
4.105	DTG curves of untreated and treated NF RC biocomposite films with AAc	250
4.106	Moisture content of untreated and treated NF RC biocomposite films with AAc	253
4.107	Weight loss of untreated and treated NF RC biocomposite films with AAc on enzymatic biodegradation	254
4.108	FTIR spectra of untreated and treated NF RC biocomposite films with APTES	256
4.109	Schematic diagram showing the key features of APTES modification of the NF surface and possible mechanism approaches for the fabrication of treated NF RC biocomposite films with APTES	257
4.110	Effect of NF content on tensile strength of untreated and treated NF RC biocomposite films with APTES	259

4.111	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with APTES (at 1 wt% NF), where the voids are represented by the arrows	260
4.112	SEM micrograph of tensile surface fracture of treated NF RC biocomposite film with APTES (at 3 wt% NF), where the voids are represented by the arrows	260
4.113	Relative tensile strength of theoretical and experimental results of untreated and treated NF RC biocomposite films with APTES	262
4.114	Effect of NF content on elongation at break of untreated and treated NF RC biocomposite films with APTES	263
4.115	Relative elongation at break of theoretical and experimental results of untreated and treated NF RC biocomposite films with APTES	264
4.116	Effect of NF content on Young's modulus of untreated and treated NF RC biocomposite films with APTES	265
4.117	XRD curves of untreated and treated NF RC biocomposite films with APTES	267
4.118	TGA curves of untreated and treated NF RC biocomposite films with APTES	269
4.119	DTG curves of untreated and treated NF RC biocomposite films with APTES	269
4.120	Moisture content of untreated and treated NF RC biocomposite films with APTES	271
4.121	Weight loss of untreated and treated NF RC biocomposite films with APTES on enzymatic biodegradation	273
4.122	Tensile strength of untreated and treated NF RC biocomposite films at 3 wt% of NF content	275
4.123	Elongation at break of untreated and treated NF RC biocomposite films at 3 wt% of NF content	276
4.124	Young's modulus of untreated and treated NF RC biocomposite films at 3 wt% of NF content	277
4.125	Crystallinity index of untreated and treated NF RC biocomposite films at 3 wt% of NF content	280



4.126	Thermal properties of untreated and treated NF RC biocomposite films at 3 wt% of NF content	282
4.127	Moisture content of untreated and treated NF RC biocomposite films at 3 wt% of NF content	284
4.128	Weight loss on enzymatic biodegradation of untreated and treated NF RC biocomposite films at 3 wt% of NF content	286

©This item is protected by original copyright