

PATTERN RECOGNITION BASED EMOTIONAL DEFICITS ASSESSMENT IN STROKE PATIENTS USING TIME FREQUENCY ANALYSIS

by

BONG SIAO ZHENG (1141310619)

A thesis submitted in fulfillment of the requirements for the degree of Doctor of Philosophy

School of Mechatronics Engineering UNIVERSITI MALAYSIA PERLIS

MARCH 2018

DECLARATION OF THESIS			
Author's Full Name	BONG SIAO Z	HFNG	
Title	PATTERN REC DEFICITS ASS USING TIME I	COGNITION BASED EMOTIONAL SESSMENT IN STROKE PATIENTS FREQUENCY ANALYSIS	
Date of Birth	6 AUGUST 198	38	
Academic Session	OCTOBER 201	1 – OCTOBER 2017	
I hereby declare that this thesis becomes the property of Universiti Malaysia Perlis (UniMAP) and to be placed at the library of UniMAP. This thesis is classified as: CONFIDENTIAL (Contains confidential information under the Official Secret Act 1997)*			
RESTRICTED	(Contains re organization	stricted information as specified by the where research was done)*	
✓ OPEN ACCESS	I agree that access (Full	my thesis to be published as online open Text)	
I, the author, give permissi purpose of research or aca years, if so reque	I, the author, give permission to reproduce this thesis in whole or in part for the purpose of research or academic exchange only (except during the period of years, if so requested above)		
Certified by:			
SIGNATURE		SIGNATURE OF SUPERVISOR	
880806-13-52	296	ASSOC. PROF. DR. WAN KHAIRUNIZAM	
(NEW IC NO. /PASSI	PORT NO.)	NAME OF SUPERVISOR	
Date: 26 March 2018		Date: 26 March 2018	

NOTES : * If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization with the period and reasons for confidentiality or restriction. Replace thesis with dissertation (MSc by Mixed Mode) or with report (coursework)

ACKNOWLEDGMENT

Hereby, I would like to take this golden opportunity to express my gratitude to all the parties involved in making this work possible.

Firstly, thanks to God for guiding us in everything we do. Next, I would like to thank Dr. Wan Khairunizam, my supervisor for having patience in sharing knowledge and thank him for the sincere guidance throughout my journey. His continuous support and encouragement helped me a lot in completing every milestone. A million thanks to Dr. Murugappan for being a good advisor and in co-supervising me in every way he could. I appreciate all the experiences and ideas he shared and I believe these are going to be as precious as gold in the nearest future.

I thank Ministry of Higher Education, (MOHE), Malaysia for financially funding this project through Science Fund, Grant Code: 9005-00061. I would like to thank Prof. Norlinah, Miss Khairiyah and the medical staffs from Neurological Department of Hospital Canselor Tuanku Muhriz (HCTM) for the professional advice and collaboration in recruiting stroke patients during data acquisition stage.

I would also like to give a token of appreciation to all my friends especially Choong Wen Yean who are willing to share their knowledge while attempting to solve every problem occurred in this project. The discussions we had really helped me a lot in gaining new ideas as different methods are learnt and tried throughout the progress. Countless thanks to my cluster friends and housemates who are willing to help me whenever I encountered some difficulties and downhills.

I take this time to thank the dean of Mechatronics Engineering School, Associate Professor Dr. Abu Hassan Abdullah and the program chairman Ir. Dr. Ruslizam Daud for their cooperation and administrative assistance throughout this PhD journey. Heartfelt appreciation to my husband, Jules Joseph Anak Jimbun for his financial and moral support and for being understanding while completing this thesis. I am also thankful for my son, Jayden Bong Anak Jules for being patient even though I have to spend my day time for my research work. Not forget also, to thank my beloved family especially my parents for giving constant moral and financial support all this while. I also thank my parents in law for their moral support and generosity in lending a hand whenever I need help especially in babysitting my son.

, a hand

TABLE OF CONTENTS

		PAGE
THE	ESIS DECLARATION	i
ACK	KNOWLEGMENT	ii
TAB	BLE OF CONTENTS	iv
LIST	Γ OF TABLES	ix
LIST	r of figures	X
LIST	Γ OF ABBREVIATIONS	xiii
LIST	r of symbols	xvi
ABS	TRAK	xviii
ABS	TRACT	xix
CHA	APTER 1 INTRODUCTION	1
1.1	Stroke and Its Impact on Emotion Recognition	1
1.2	Research Problem Statement	3
1.3	Research Objectives	5
1.4	Research Scopes	6
1.5	Thesis Outline	7
	(h)	
CHA	APTER 2 LITERATURE REVIEW	9
2.1	Introduction	9
2.2	Physiological Signals and the Role of Human Brain in Emotional	13
	Changes	
2.3	Emotion Deficit and Emotion Laterality in Stroke Patients	17
2.4	Background of Emotion Theories and Emotion Models	22

2.5	Emotio	n Elicitation Protocol	26
	2.5.1	Emotion Elicitation Methods	26
	2.5.2	Visual Elicitation	26
	2.5.3	Audio Elicitation	26
	2.5.4	Multimodal Elicitation	27
	2.5.5	Recall Paradigm	28
	2.5.6	Other Elicitation Modalities	28
2.6	EEG ar	nd Emotion Study in Machine Learning Approach	29
2.7	Time-f	requency Domain Analysis and Non-linear Features in EEG	36
	Study		
2.8	Gap Ar	nalysis	42
2.9	Summa	ury	44
		$\langle \mathcal{N} \rangle$	
		0	
СНА	APTER 3	RESEARCH METHODOLOGY	45
CHA 3.1	APTER 3	RESEARCH METHODOLOGY	45 45
CHA 3.1 3.2	APTER 3 Introdu Emotio	RESEARCH METHODOLOGY ction n Elicitation	45 45 46
CHA 3.1 3.2	APTER 3 Introdu Emotio 3.2.1	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection	45 45 46 47
CHA 3.1 3.2	APTER 3 Introdu Emotio 3.2.1 3.2.2	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection Emotion Elicitation Protocol Design	45 45 46 47 48
CHA 3.1 3.2 3.3	PTER 3 Introdu Emotio 3.2.1 3.2.2 Data A	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection Emotion Elicitation Protocol Design cquisition	45 45 46 47 48 49
CHA 3.1 3.2	APTER 3 Introdu Emotio 3.2.1 3.2.2 Data A 3.3.1	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection Emotion Elicitation Protocol Design cquisition EEG Data Acquisition Device and Electrode Placement	45 46 47 48 49 49
CHA 3.1 3.2	PTER 3 Introdu Emotio 3.2.1 3.2.2 Data A 3.3.1 3.3.2	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection Emotion Elicitation Protocol Design cquisition EEG Data Acquisition Device and Electrode Placement Ethics Statement	45 46 47 48 49 49 51
CHA 3.1 3.2	APTER 3 Introdu Emotio 3.2.1 3.2.2 Data A 3.3.1 3.3.2 3.3.3	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection Emotion Elicitation Protocol Design cquisition EEG Data Acquisition Device and Electrode Placement Ethics Statement Participants Screening and Recruiting Process	45 46 47 48 49 49 51 51
CHA 3.1 3.2	PTER 3 Introdu Emotio 3.2.1 3.2.2 Data A 3.3.1 3.3.2 3.3.3 3.3.4	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection Emotion Elicitation Protocol Design cquisition EEG Data Acquisition Device and Electrode Placement Ethics Statement Participants Screening and Recruiting Process Inclusion and exclusion criteria	45 46 47 48 49 49 51 51 51
CHA 3.1 3.2	PTER 3 Introdu Emotio 3.2.1 3.2.2 Data A 3.3.1 3.3.2 3.3.3 3.3.4 3.3.5	RESEARCH METHODOLOGY ction n Elicitation Stimuli Selection Emotion Elicitation Protocol Design cquisition EEG Data Acquisition Device and Electrode Placement Ethics Statement Participants Screening and Recruiting Process Inclusion and exclusion criteria Experimental Procedure	45 46 47 48 49 49 51 51 51 52 53

	3.4.1	Normalization and Framing	56
	3.4.2	Noise filtering	57
	3.4.3	Acquiring Time-frequency Domain Sub-bands using	57
		Wavelet Packet Transform	
	3.4.4	Acquiring Time-frequency Domain Sub-bands using	62
		Tunable-Q Factor Wavelet Transform (TQWT)	
3.5	Feature	e Extraction	65
	3.5.1	Hurst Exponent	65
	3.5.2	Detrended Fluctuation Analysis	68
	3.5.3	Recurrence Quantification Analysis	68
3.6	Classif	ication	72
	3.6.1	K-Nearest Neighbour	72
	3.6.2	Probabilistic Neural Network	73
	3.6.3	Random Forest	75
3.7	Perform	nance Measures	77
3.8	Feature	e Enhancement for Six Emotion Classification	77
3.9	Summary 8		80
	.S		
СНА	PTER ·	4 RESULTS AND DISCUSSIONS	81
4.1	Introdu	iction	81
4.2	Particij	pants Characteristics	82
4.3	Behavioural Measures 8		83
4.4	Relatio	onship between Rest State and Emotional States	84
4.5	Framing of Emotional EEG signals 85		85
4.6	Norma	lization and Pre-processing of Emotional EEG Signals	86

4.7	Extraction of Different EEG Frequency Bands into Time-Frequency 87		
	Domain		
	4.7.1 Wavelet Packet Transform	87	
	4.7.2 Tuned Q-Factor Wavelet Transform	88	
4.8	Customized Parameter Selection for each Feature in Classification		
	Stage	89	
4.9	Feature Validation using ANOVA	92	
4.10	Feature Enhancement for Emotion Classification	92	
4.11	Classification Performance Measures Between Emotions	101	
4.12	Classification Performance Measures Between Groups	113	
4.13	Comparison of Research Findings with Previous Studies	124	
4.14	Summary	131	
	8°, °, °, °, °, °, °, °, °, °, °, °, °, °		
СНА	PTER 5 CONCLUSIONS AND FUTURE WORKS	132	
5.1	Conclusions	132	
	5.1.1 Data Acquisition	133	
	5.1.2 Time-Frequency Domain	134	
	5.1.3 Non-linear Feature Extraction	134	
	5.1.4 Emotion Laterality	135	
5.2	Future Works and Directions	136	
REF	ERENCES	138	
APP	ENDIX A – Literature Review Tables	154	
APP	ENDIX B – Documents for Data Acquisition	166	
APP	ENDIX C – EEG Signal Plots in Different Participant Group	177	

APPENDIX D – Topographic Maps.	183
APPENDIX D – Classification Performance for Emotion Recognition	184
without Feature Enhancement.	189
APPENDIX E – Classification Performance for Emotion Recognition	
with Feature Enhancement.	194
APPENDIX F– Classification Performance for Group Recognition.	201
APPENDIX G – Ethical Approval	
LIST OF PUBLICATIONS	203
LIST OF AWARDS	205
orthis item is protected by originic	

LIST OF TABLES

NO.		PAGE
3.1	The description of video content for each emotion.	48
3.2	Coefficient for Each EEG Frequency Band.	60
3.3	Definition for each measure in RQA.	70
4.1	Demographic and clinical characteristics of LBD, RBD patients and NC participants.	82
4.2	Self-assessment recognition rate (%) of the six emotions.	84
4.3	Mean intensity ratings of emotional stimuli.	84
4.4	Amount of data before and after framing in each group.	86
4.5	Feature type and its best parameter for each feature type based on classification accuracy without feature enhancement.	90
4.6	Performance of Averaged Classification Accuracy for RR Before and After PCA Enhancement.	94
4.7	Feature type and selected parameter for each classification type after feature enhancement.	94
4.8	Best frequency band and wavelet family for each feature for six emotions classification stage after feature enhancement.	102
4.9	Weightage of each emotion in different group through features voting.	112
4.10	Best frequency band and wavelet family for each feature for three groups classification stage.	114
4.11	Recent findings of EEG signal analysis in emotion and disease related studies through various methods.	128

LIST OF FIGURES

NO.		PAGE
2.1	The trend of emotion-based EEG study in healthy control and stroke patients.	10
2.2	Selected list of publications corresponding to each category in stroke patients.	18
2.3	Selected list of publications corresponding to each category in healthy control.	36
3.1	Research Methodology of Emotion Assessment System	46
3.2	Emotion elicitation protocol.	49
3.3	Electrode position for Emotiv headset according to 10-20 System.	50
3.4	Front, left and right view of Emotiv headset on a participant.	50
3.5	Experiment setup in a closed room.	53
3.6	Flowchart of Experimental Procedure.	56
3.7	From left to right, zig-zag motion: (1) EEG signals of Anger Emotion in NC group (2) EEG Signal of Disgust Emotion in RBD group (3) EEG signals of Fear Emotion in NC group (4) EEG signals of Happy Emotion in NC group (5) EEG Signal of Sad Emotion in NC group (6) EEG signals of Surprise Emotion in NC group.	57
3.8	Wavelet Packet Decomposition at Level 3.	58
3.9	Scaling function and wavelet function for each wavelet family.	61
3.10	Equivalent system for j^{th} level decomposition of input signal $y[n]$ by using TQWT method to generate (a) the low pass sub-band signal $c^{j}[n]$ and (b) the high pass sub-band signal $d^{j}[n]$.	63
3.11	Feature Extraction Chart.	65
4.1	Topographic maps of ICA Weights for relax and six different emotions in Subject RBD #1.	85

NU.		LAGE
4.2	From left to right, zig-zag motion: (1) Raw EEG signal for baseline signal (2) Normalized EEG signal for baseline signal (3) Raw EEG signal for anger emotion (4) Normalized EEG signal for anger emotion (5) Standardised EEG signal for anger emotion through subtraction method (6) Filtered EEG signal for anger emotion using Butterworth bandpass filter.	87
4.3	From left to right, zig-zag motion: (1) EEG signal in time domain after Butterworth filter (2) EEG signal in time-frequency domain for alpha band (3) EEG signal in time-frequency domain for beta band (4) EEG signal in time-frequency domain for gamma band (5) EEG signal in time-frequency domain for alpha-to-gamma band (6) EEG signal in time-frequency domain for beta-to-gamma band.	88
4.4	From left to right, zig-zag motion: (1) Normalized Alpha band EEG data for Channel # 1, RBD patient # 1 (2) Sub-band 1 for TQWT (3) Sub-band 2 for TQWT (4) Sub-band 3 for TQWT (5) Sub-band 4 for TQWT (6) Sub-band 5 for TQWT (7) Sub-band 6 for TQWT.	89
4.5	(a) Scatter plot for LBD group before enhancement (b) Zoomed image for LBD group before enhancement.	95
4.6	Scatter plot for LBD group after enhancement (b) Zoomed image for LBD group after enhancement.	96
4.7	Scatter plot for RBD group before enhancement (b) Zoomed image for RBD group before enhancement.	97
4.8	Scatter plot for RBD group after enhancement (b) Zoomed image for RBD group after enhancement.	98
4.9	Scatter plot for NC group before enhancement (b) Zoomed image for NC group before enhancement.	99
4.10	(a) Scatter plot for NC group after enhancement (b) Zoomed image for NC group after enhancement.	100
4.11	Emotion classification performance for DFA feature.	103
4.12	Emotion classification performance for Hurst WPT feature.	104
4.13	Emotion classification performance for RR feature.	104
4.14	Emotion classification performance for DET feature.	105
4.15	Emotion classification performance for <l> feature.</l>	105

NO.

NO.		PAGE
4.16	Emotion classification performance for Lmax feature.	106
4.17	Emotion classification performance for ENTR feature.	106
4.18	Emotion classification performance for LAM feature.	107
4.19	Emotion classification performance for TT feature.	108
4.20	Emotion classification performance for Vmax feature.	108
4.21	Emotion classification performance for T1 feature.	109
4.22	Emotion classification performance for T2 feature.	109
4.23	Emotion classification performance for RPDE feature.	110
4.24	Emotion classification performance for Hurst TQWT feature.	110
4.25	Group classification performance for DFA feature.	115
4.26	Group classification performance for Hurst WPT feature.	116
4.27	Group classification performance for RR feature.	117
4.28	Group classification performance for DET feature.	117
4.29	Group classification performance for <l> feature.</l>	118
4.30	Group classification performance for Lmax feature.	118
4.31	Group classification performance for ENTR feature.	119
4.32	Group classification performance for LAM feature.	119
4.33	Group classification performance for TT feature.	120
4.34	Group classification performance for Vmax feature.	121
4.35	Group classification performance for T1 feature.	121
4.36	Group classification performance for T2 feature.	121
4.37	Group classification performance for RPDE feature.	122
4.38	Group classification performance for Hurst TQWT feature.	122

LIST OF ABBREVIATIONS

- <L> Mean of Diagonal Line Length
- ANS Autonomic Nervous System
- **APEN** Approximate Entropy
- BCI Brain-computer Interface
- woriginal copyright BDI **Beck Depression Inventory**
- CD **Correlation Dimension**
- CNS Central Nervous System
- coif5 Coiflet 5
- CVA Cerebrovascular Accident
- db4 Daubechies 4
- db6 Daubechies 6

Database for Emotion Analysis using Physiological Signals DEAP

- DET Determinism
- **Detrended Fluctuation Analysis** DFA
- DT **Decision** Tree
- **Discrete Wavelet Transform** DW
- Electrocardiogram ECG
- EEG Electroencephalogram
- EHI Edinburgh Handedness Inventory
- EMG Electromyogram
- **ENTR** Entropy of The Diagonal Line Length
- Facial Action Coding System FADS
- Fast Fourier Transform FFT

HCI	Human-machine Interaction
HE	Hurst Exponent
IADS	International Affective Digital Sounds
IAPS	International Affective Picture System
IIR	Infinite Impulse Response
KNN	K-nearest Neighbour
LAM	Laminarity
LBD	Left-brain Damaged
LDA	Linear Discriminant Analysis
Lmax	Maximum Diagonal Line Length
MMSE	Mini Mental State Examination
MRI	Magnetic Resonance Image
MWT	Multiwavelet
NC	Normal Control
NYEB	New York Emotion Battery
PDF	Probability Density Function
PNN	Probabilistic Neural Network
PPG S	Photopletysmography
RBD	Right-brain Damaged
RF	Random Forest
RPDE	Recurrence Probability Density Entropy
RQA	Recurrence Quantification Analysis
RR	Recurrence Rate
SK	Skin Temperature
SVM	Support Vector Machine

sym8	Symlet 8
T1	Recurrence Time of 1 st Type
T2	Recurrence Time of 2 nd Type
TQWT	Tuned-Q Wavelet Transform
TT	Trapping Time
WHO	World Health Organization

officities item is protected by original copyright

LIST OF SYMBOLS

ψ	Mother wavelet function
С	Wavelet coefficients
Hz	Hertz
r	Redundancy parameter in TQWT
m	Mean of the time series
d_e	Euclidean distance
σ	Smoothing parameter
Ntree	The number of trees to be built
<i>M</i> _{try}	The number of variables chosen for splitting at each node
f_{RF}	Final prediction result
Ac	Averaged classification accuracy
Sen	Sensitivity
δ	Singular values
α	EEG alpha band
β	EEG beta band
YS	EEG gamma band
Rij	Recurrence matrix
F(n)	Root mean square fluctuation
R/S	Rescaled range series in hurst exponent
S_T	Deviation series
R_T	Range of series
Z_T	Accumulated time series
${\mathcal Y}_T$	Adjusted time series

 \mathbf{J}_{max}

orthis item is protected by original copyright

Kemelesetan Penilaian Emosi di Kalangan Pesakit Strok berdasarkan Pengiktirafan Corak dengan menggunakan Analisa Kekerapan-Masa

ABSTRAK

Persepsi emosi pada pesakit strok terjejas kerana terdapat kelainan pada otak. Di sini, tesis ini memberi tumpuan kepada kesan kerosakan otak kiri dan kerosakan otak kanan ke arah pengiktirafan emosi. Disebabkan pengiktirafan emosi terjejas, adalah satu cabaran untuk pesakit strok untuk menyatakan diri mereka dalam komunikasi harian. Oleh itu, ia adalah inspirasi untuk melihat kemungkinan untuk meramalkan keadaan emosi pesakit untuk mengelakkan strok berulang. Dalam kerja ini, electroencephalograph (EEG) daripada 19 pesakit kerosakan otak kiri (LBD), 19 pesakit kerosakan otak kanan (RBD) dan 19 kawalan biasa (NC) dikumpulkan sebagai pangkalan data. Semasa pengumpulan data, enam emosi (sedih, jijik, ketakutan, kemarahan, gembira dan mengejutkan) diinduksi dengan menggunakan rangsangan visual audio. Selepas menormalkan, isyarat EEG ditapis dengan menggunakan penapis band-pass pesanan Butterworth ke-6 pada frekuensi cut-off 0.5 Hz dan 49 Hz. Kemudian, teknik paket wavelet transform (WPT) dilaksanakan untuk melokalkan lima jalur frekuensi: alpha (8 Hz-13 Hz), beta (13 Hz-30 Hz), gamma (30 Hz-49 Hz), alpha-to-gamma 8 Hz-49 Hz), beta-to-gamma (13 Hz-49 Hz). Sebaliknya, transformasi wavelet O-factor yang ditala (TOWT) juga digunakan pada lima jalur frekuensi untuk mendapatkan 6 sub-band. Dalam WPT, empat keluarga wavelet dipilih: daubechies 4 (db4), daubechies 6 (db6), coiflet 5 (coif5) dan symmlet 8 (sym8). Eksponen Hurst (HE), analisis turun naik yang menjejaskan (DFA), analisis kuantifikasi ulangan (ROA) digunakan untuk mengekstrak eksponen korelasi, eksponen korelasi DFA, dan 11 langkah yang berbeza daripada plot berulang dari setiap kumpulan dan keluarga wavelet dan dikelaskan dengan menggunakan K jiran terdekat (KNN), rangkaian neural kebarangkalian (PNN) dan hutan rawak (RF). Peringkat pengkelasan dilakukan berdasarkan perbandingan antara tiga kumpulan dan juga antara enam emosi. 290 kombinasi ciri-ciri yang dilakukan tetapi ciri yang paling penting dalam pengiktirafan emosi dan pengiktirafan kumpulan adalah masing-masing panjang garis pepenjuru (<L>) dan Peratusan Kemirunan Kemungkinan Entropi (RPDE). Langkah-langkah ROA didapati paling menyumbang dalam memberikan ketepatan klasifikasi yang tinggi. Sementara itu, eksponen korelasi seperti Hurst dan DFA didapati tidak cekap dalam klasifikasi emosi. Ketepatan pengiktirafan emosi meningkat dengan baik selepas ciri-ciri berubah menjadi skor dengan menggunakan algoritma Analisis Komponen Prinsip (PCA). Ketepatan klasifikasi emosi maksimum didapati dalam LBD (85.29%). Dalam klasifikasi kumpulan, RPDE telah memberikan ketepatan tertinggi (99.41%) melalui pengelas RF. Kumpulan LBD didapati mempunyai ketepatan purata yang lebih tinggi berbanding dengan kumpulan RBD yang menyokong 'hipotesis hemisfera kanan'. Hasil menunjukkan bahawa sistem pengiktirafan emosi yang dicadangkan boleh dipercayai dengan ketepatan klasifikasi yang boleh diterima yang membantu pemantauan emosi di kalangan pesakit strok serta orang yang sihat. Sementara itu, pengiktirafan kumpulan (LBD, RBD dan NC) boleh digunakan untuk mengenal pasti kehadiran strok LBD atau RBD.

Pattern Recognition Based Emotional Deficits Assessment in Stroke Patients using Time Frequency Analysis

ABSTRACT

Emotion perception in stroke patients is affected since there is abnormality in the brain. Here, this thesis focused on the impact of left brain damage and right brain damage towards emotion recognition. Due to the impaired emotion recognition, it is a challenge for stroke patients to express themselves in daily communication. Hence, it is inspiring to see the possibility to predict patient's emotional state so as to prevent recurrent stroke. In this work, electroencephalograph (EEG) of 19 left brain damage patients (LBD), 19 right brain damage patients (RBD) and 19 normal control (NC) are collected as database. During data collection, six emotions (sad, disgust, fear, anger, happy and surprise) are induced by using audio visual stimuli. After normalization, EEG signals are filtered by using Butterworth 6th order band-pass filter at the cut-off frequencies of 0.5 Hz and 49 Hz. Then, wavelet packet transform (WPT) technique is implemented to localize five frequency bands: alpha (8 Hz–13 Hz), beta (13 Hz–30 Hz), gamma (30 Hz–49 Hz), alphato-gamma (8 Hz-49 Hz), beta-to-gamma (13 Hz-49 Hz). On the other hand, tuned Qfactor wavelet transform (TOWT) is also applied on five frequency bands to obtain 6 subbands. In WPT, four wavelet families are chosen: daubechies 4 (db4), daubechies 6 (db6), coiflet 5 (coif5) and symmlet 8 (sym8). Hurst exponents (HE), detrended fluctuation analysis (DFA), recurrence quantification analysis (RQA) are used to extract hurst correlation exponent, DFA correlation exponent, and 11 different measures out of recurrence plot from each band and wavelet family and are classified by using K-nearest Neighbour (KNN), Probabilistic Neural Network (PNN) and random forest (RF). Classification stage is done on comparison between three groups and also between six emotions. 290 combinations of feature are done but the most significant feature in emotion recognition and group recognition is mean of diagonal line length (<L>) and Recurrence Probability Density Entropy (RPDE) respectively. RQA measures are found to be most contributing in giving high classification accuracy. Meanwhile, correlation exponents such as Hurst and DFA are found inefficient in emotion classification. Emotion recognition accuracy is improved tremendously after the features are transformed into score by using Principle Component Analysis (PCA) algorithm. The maximum emotion classification accuracy is found in LBD (85.29 %). In group classification, RPDE has given the highest accuracy (99.41 %) through RF classifier. LBD group is found to have the higher average accuracy compared to RBD group which supports the 'right hemisphere hypothesis'. The result shows that the proposed emotional recognition system is reliable with an acceptable classification accuracy which is helpful in emotion monitoring among stroke patients as well as healthy person. Meanwhile, group recognition (LBD, RBD and NC) can be used to identify the presence of LBD or RBD stroke.

CHAPTER 1

INTRODUCTION

1.1 Stroke and Its Impact on Emotion Recognition

Previously, stroke is known medically as a cerebrovascular accident (CVA). It is a medical emergency where the blood supply to our brain is interrupted which causes sudden death of brain cell. These brain damages will eause slurring speech, memory loss and as well as paralysis depending on the area of damage. When the damage happened to be facial paralysis, emotion expression is almost impossible. This disability often become a challenge in daily communication with friends and family. According to the latest WHO data published in May 2014, stroke deaths in Malaysia reached 15, 497 or 12.19 % of total deaths. The age adjusted death rate is 80.59 per 100, 000 of population ranks Malaysia number 97 in the world (W.H.O., 2014). In a study, a total of 7668 stroke patients were recruited for analysis. On average, patients were aged 62.7 years (standard deviation of 12.5). Ischemic stroke accounts for 79.4% of the cohort with a slightly higher proportion of male patients (55%). Ischemic stroke incidence is estimated to increase annually by 29.5% and hemorrhagic stroke by 18.7% (Aziz, Lee, Ngah, Sidek, et al., 2015).

There are studies explaining about the emotional changes of post-stroke patients which cause psychological illnesses in certain cases (Visser & Annemarie, 2004). Due to the region of brain damage, patients are not able to perceive either positive or negative emotions (Reilly, Stiles, Larsen, & Trauner, 1995). Right brain damaged patients are likely to be good at perceiving positive emotions (Joan et al., 1990). Whereas, some stated that right brain is responsible in recognizing emotions, thus left brain damage does not cause impairment in emotion perception (Ehlers & Dalby, 1987; Heilman, Scholes, & Watson, 1975). In summary, although impairment for emotion perception was more frequently observed in individuals with RBD than with LBD, there were a very fair number of studies that found no differences between the two patients group (Rajamanickam, Murugappan, Norlinah, & Sundaraj et al., 2013).

Stroke study concerning emotions and psychological aspect has been done clinically since decades ago. Recently, people are interested in emotion investigation and the effect of brain hemisphere region in emotion perception. Different methods and database has been carried out and collected in order to test their hypotheses (Rajamanickam et al., 2013). However, none has focused on using physiological data such as EEG and machine learning techniques to recognize emotions and investigate emotion deficits in stroke patients. For instance, in one paper (Karow, Marquardt, & Marshall, 2001), early detection of brain ischemia using EEG is done. However, emotion processing was not covered in this study. Meanwhile, in another paper (Foreman & Claassen, 2012), even though affective processing ability in left and right hemisphere brain-damaged patients was measured in isolated identification tasks, it was done without using EEG signal.

Moreover, development of an intelligent emotional assessment system is very advantageous in Human-Computer Interaction (HCI) applications. HCI enables the human to interact with computer especially through human responses and behavior. Being inspired by the possibilities of human emotion recognition using physiological signals as the input, an emotional assessment system for stroke patients using physiological signals is the main purpose of this research. This system would be remarkably useful for a wide range of application especially in the area of psychology and socio-psychology. Communities like the workers in industries, students, as well as the patients in hospitals can make use of this application to predict their emotional states and also to maintain mental health from time to time. This is important to sustain the quality of human life in the society well-being.

1.2 Research Problem Statement

There are several challenges occurred in previous works regarding emotional stress assessment. Several modalities (visual, audio, audio-visual, recall paradigm and dyadic modalities) have been used to induce the desired emotional response in human but the limitation is that there are ethics in doing experiment on human being. Researchers are not allowed to put any participant into any hazardous situation or experiment that would give negative impact towards their health condition (Research Ethics Committee, 2012). In this research case, the audio-visual stimuli used should not be too extreme in order to avoid emotional breakdown. There is no international standard database exists on this work and hence the efficient database for this work is highly inevitable for developing intelligent emotional stress assessment system. However, researchers believe that the physiological signals which response involuntarily in human body could be the most suitable measure to categorize the emotional states (Ekman & Friesen, 1987). This research work is aim to address the problems in the development of an intelligent emotional assessment system in stroke patients:

i. Emotional EEG database is very important in signal processing. There is no vivid ground truth or any standard is proposed yet to determine the emotional stress state of an individual through different modalities. This forced the researchers to design their own emotion elicitation methods and data acquisition protocol. Most of the researchers have considered and applied the universal emotional circumflex model for affective state assessment in psychological study (Russell, 1980). It is difficult to induce emotion among human and expect the same outcome from them. Indeed, human emotion is subjective; every human being would response differently for different emotional situations.

- ii. EEG feature extraction plays a major part in attributes selection. In signal processing, previously, most researchers have done their analysis by using statistical time domain methods. Later, frequency domain techniques such as fast-fourier transform and spectral analysis has become very popular. However, these techniques are not sufficient enough to extract good quality attributes from EEG signal which has characteristics of non-stationary and non-linearity. It is also important to exclude unnecessary features because they cannot contribute to good accuracy in classification stage later.
- According to literature, 'right hemisphere hypothesis' proposes that right brain is playing the major role in emotional processing regardless of valence. This statement suggests that there will be difference in emotion perception between LBD and RBD patients. However, it is difficult to classify these two groups and find out whether there is significant difference between them.
- iv. For emotion recognition among normal healthy human, according to the literature, emotional recognition rate is mostly between 40 % 70 %. Only a few researchers can produce six-class emotion classification accuracy at 90 % and above.